

SR No.	NAME	DIMENSIONS	METRIC	IMPERIAL																																																																																																																																																
00	STAINLESS STEEL TUBE		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>T</th> <th>kg/piece</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1000 07</td><td>5700</td><td>1</td><td>2.0007</td></tr> <tr><td>28</td><td>2812 2000 03</td><td>5700</td><td>1,2</td><td>4.5885</td></tr> <tr><td>35</td><td>2812 3000 02</td><td>5700</td><td>1,5</td><td>7.1708</td></tr> <tr><td>42</td><td>2812 4000 00</td><td>5700</td><td>1,5</td><td>8.8697</td></tr> <tr><td>54</td><td>2812 5000 00</td><td>5700</td><td>1,5</td><td>11.2404</td></tr> <tr><td>76</td><td>2812 6000 14</td><td>5700</td><td>2</td><td>21.1527</td></tr> <tr><td>89</td><td>2812 7000 09</td><td>5700</td><td>2</td><td>24.8064</td></tr> <tr><td>108</td><td>2812 8000 09</td><td>5700</td><td>2</td><td>30.2556</td></tr> <tr><td>15</td><td>2812 1001 07</td><td>5700</td><td>1</td><td>2.0007</td></tr> <tr><td>28</td><td>2812 2001 03</td><td>5700</td><td>1,2</td><td>4.5885</td></tr> <tr><td>42</td><td>2812 4001 00</td><td>5700</td><td>1,5</td><td>8.8697</td></tr> </tbody> </table>	D1	Part Number	L	T	kg/piece	15	2812 1000 07	5700	1	2.0007	28	2812 2000 03	5700	1,2	4.5885	35	2812 3000 02	5700	1,5	7.1708	42	2812 4000 00	5700	1,5	8.8697	54	2812 5000 00	5700	1,5	11.2404	76	2812 6000 14	5700	2	21.1527	89	2812 7000 09	5700	2	24.8064	108	2812 8000 09	5700	2	30.2556	15	2812 1001 07	5700	1	2.0007	28	2812 2001 03	5700	1,2	4.5885	42	2812 4001 00	5700	1,5	8.8697	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>T</th> <th>L</th> <th>lb/piece</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1000 07</td><td>224,409</td><td>0,039</td><td>4,411</td></tr> <tr><td>1</td><td>2812 2000 03</td><td>224,409</td><td>0,047</td><td>10,116</td></tr> <tr><td>1 1/4</td><td>2812 3000 02</td><td>224,409</td><td>0,059</td><td>15,808</td></tr> <tr><td>1 1/2</td><td>2812 4000 00</td><td>224,409</td><td>0,059</td><td>19,113</td></tr> <tr><td>2</td><td>2812 5000 00</td><td>224,409</td><td>0,059</td><td>24,781</td></tr> <tr><td>2 3/4</td><td>2812 6000 14</td><td>224,409</td><td>0,079</td><td>46,534</td></tr> <tr><td>3 1/2</td><td>2812 7000 09</td><td>224,409</td><td>0,079</td><td>54,689</td></tr> <tr><td>4</td><td>2812 8000 09</td><td>224,409</td><td>0,079</td><td>66,702</td></tr> <tr><td>1/2</td><td>2812 1001 07</td><td>224,409</td><td>0,039</td><td>4,411</td></tr> <tr><td>1</td><td>2812 2001 03</td><td>224,409</td><td>0,047</td><td>10,116</td></tr> <tr><td>1 1/2</td><td>2812 4001 00</td><td>224,409</td><td>0,059</td><td>19,113</td></tr> </tbody> </table>	D1	Part Number	T	L	lb/piece	1/2	2812 1000 07	224,409	0,039	4,411	1	2812 2000 03	224,409	0,047	10,116	1 1/4	2812 3000 02	224,409	0,059	15,808	1 1/2	2812 4000 00	224,409	0,059	19,113	2	2812 5000 00	224,409	0,059	24,781	2 3/4	2812 6000 14	224,409	0,079	46,534	3 1/2	2812 7000 09	224,409	0,079	54,689	4	2812 8000 09	224,409	0,079	66,702	1/2	2812 1001 07	224,409	0,039	4,411	1	2812 2001 03	224,409	0,047	10,116	1 1/2	2812 4001 00	224,409	0,059	19,113																								
			D1	Part Number	L	T	kg/piece																																																																																																																																													
			15	2812 1000 07	5700	1	2.0007																																																																																																																																													
			28	2812 2000 03	5700	1,2	4.5885																																																																																																																																													
			35	2812 3000 02	5700	1,5	7.1708																																																																																																																																													
			42	2812 4000 00	5700	1,5	8.8697																																																																																																																																													
			54	2812 5000 00	5700	1,5	11.2404																																																																																																																																													
			76	2812 6000 14	5700	2	21.1527																																																																																																																																													
			89	2812 7000 09	5700	2	24.8064																																																																																																																																													
			108	2812 8000 09	5700	2	30.2556																																																																																																																																													
15	2812 1001 07	5700	1	2.0007																																																																																																																																																
28	2812 2001 03	5700	1,2	4.5885																																																																																																																																																
42	2812 4001 00	5700	1,5	8.8697																																																																																																																																																
D1	Part Number	T	L	lb/piece																																																																																																																																																
1/2	2812 1000 07	224,409	0,039	4,411																																																																																																																																																
1	2812 2000 03	224,409	0,047	10,116																																																																																																																																																
1 1/4	2812 3000 02	224,409	0,059	15,808																																																																																																																																																
1 1/2	2812 4000 00	224,409	0,059	19,113																																																																																																																																																
2	2812 5000 00	224,409	0,059	24,781																																																																																																																																																
2 3/4	2812 6000 14	224,409	0,079	46,534																																																																																																																																																
3 1/2	2812 7000 09	224,409	0,079	54,689																																																																																																																																																
4	2812 8000 09	224,409	0,079	66,702																																																																																																																																																
1/2	2812 1001 07	224,409	0,039	4,411																																																																																																																																																
1	2812 2001 03	224,409	0,047	10,116																																																																																																																																																
1 1/2	2812 4001 00	224,409	0,059	19,113																																																																																																																																																
02	EQUAL SOCKET		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>B</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1002 00</td><td>49</td><td>20</td><td>9</td><td>0,035</td></tr> <tr><td>28</td><td>2812 2002 00</td><td>56</td><td>23</td><td>10</td><td>0,071</td></tr> <tr><td>35</td><td>2812 3002 00</td><td>62,5</td><td>26</td><td>10,5</td><td>0,097</td></tr> <tr><td>42</td><td>2812 4002 00</td><td>72</td><td>30</td><td>12</td><td>0,136</td></tr> <tr><td>54</td><td>2812 5002 00</td><td>83</td><td>35</td><td>13</td><td>0,198</td></tr> <tr><td>76</td><td>2812 6002 00</td><td>142</td><td>35</td><td>32</td><td>0,635</td></tr> <tr><td>89</td><td>2812 7002 00</td><td>165,5</td><td>60</td><td>45,5</td><td>0,766</td></tr> <tr><td>108</td><td>2812 8002 00</td><td>203</td><td>75</td><td>53</td><td>1,17</td></tr> </tbody> </table>	D1	Part Number	L	S	B	kg	15	2812 1002 00	49	20	9	0,035	28	2812 2002 00	56	23	10	0,071	35	2812 3002 00	62,5	26	10,5	0,097	42	2812 4002 00	72	30	12	0,136	54	2812 5002 00	83	35	13	0,198	76	2812 6002 00	142	35	32	0,635	89	2812 7002 00	165,5	60	45,5	0,766	108	2812 8002 00	203	75	53	1,17	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>B</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1002 00</td><td>1,929</td><td>0,787</td><td>0,354</td><td>0,077</td></tr> <tr><td>1</td><td>2812 2002 00</td><td>2,205</td><td>0,906</td><td>0,394</td><td>0,157</td></tr> <tr><td>1 1/4</td><td>2812 3002 00</td><td>2,461</td><td>1,024</td><td>0,413</td><td>0,214</td></tr> <tr><td>1 1/2</td><td>2812 4002 00</td><td>2,835</td><td>1,181</td><td>0,472</td><td>0,300</td></tr> <tr><td>2</td><td>2812 5002 00</td><td>3,268</td><td>1,378</td><td>0,512</td><td>0,437</td></tr> <tr><td>2 3/4</td><td>2812 6002 00</td><td>5,591</td><td>2,165</td><td>1,260</td><td>1,400</td></tr> <tr><td>3 1/2</td><td>2812 7002 00</td><td>6,516</td><td>2,362</td><td>1,791</td><td>1,687</td></tr> <tr><td>4</td><td>2812 8002 00</td><td>7,992</td><td>2,953</td><td>2,087</td><td>2,579</td></tr> </tbody> </table>	D1	Part Number	L	S	B	lb	1/2	2812 1002 00	1,929	0,787	0,354	0,077	1	2812 2002 00	2,205	0,906	0,394	0,157	1 1/4	2812 3002 00	2,461	1,024	0,413	0,214	1 1/2	2812 4002 00	2,835	1,181	0,472	0,300	2	2812 5002 00	3,268	1,378	0,512	0,437	2 3/4	2812 6002 00	5,591	2,165	1,260	1,400	3 1/2	2812 7002 00	6,516	2,362	1,791	1,687	4	2812 8002 00	7,992	2,953	2,087	2,579																																				
			D1	Part Number	L	S	B	kg																																																																																																																																												
			15	2812 1002 00	49	20	9	0,035																																																																																																																																												
			28	2812 2002 00	56	23	10	0,071																																																																																																																																												
			35	2812 3002 00	62,5	26	10,5	0,097																																																																																																																																												
			42	2812 4002 00	72	30	12	0,136																																																																																																																																												
			54	2812 5002 00	83	35	13	0,198																																																																																																																																												
			76	2812 6002 00	142	35	32	0,635																																																																																																																																												
			89	2812 7002 00	165,5	60	45,5	0,766																																																																																																																																												
			108	2812 8002 00	203	75	53	1,17																																																																																																																																												
D1	Part Number	L	S	B	lb																																																																																																																																															
1/2	2812 1002 00	1,929	0,787	0,354	0,077																																																																																																																																															
1	2812 2002 00	2,205	0,906	0,394	0,157																																																																																																																																															
1 1/4	2812 3002 00	2,461	1,024	0,413	0,214																																																																																																																																															
1 1/2	2812 4002 00	2,835	1,181	0,472	0,300																																																																																																																																															
2	2812 5002 00	3,268	1,378	0,512	0,437																																																																																																																																															
2 3/4	2812 6002 00	5,591	2,165	1,260	1,400																																																																																																																																															
3 1/2	2812 7002 00	6,516	2,362	1,791	1,687																																																																																																																																															
4	2812 8002 00	7,992	2,953	2,087	2,579																																																																																																																																															
03	ELBOW 90°		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>L1</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1003 00</td><td>61,4</td><td>20</td><td>50</td><td>0,058</td></tr> <tr><td>28</td><td>2812 2003 00</td><td>93,4</td><td>23</td><td>73</td><td>0,143</td></tr> <tr><td>35</td><td>2812 3003 00</td><td>89,9</td><td>26</td><td>68</td><td>0,192</td></tr> <tr><td>42</td><td>2812 4003 00</td><td>106,4</td><td>30</td><td>80</td><td>0,231</td></tr> <tr><td>54</td><td>2812 5003 00</td><td>132,4</td><td>35</td><td>100</td><td>0,367</td></tr> <tr><td>76</td><td>2812 6003 00</td><td>206,8</td><td>55</td><td>159,5</td><td>1,15</td></tr> <tr><td>89</td><td>2812 7003 00</td><td>236,5</td><td>60</td><td>182</td><td>1,58</td></tr> <tr><td>108</td><td>2812 8003 00</td><td>285,9</td><td>75</td><td>219,6</td><td>2,25</td></tr> </tbody> </table>	D1	Part Number	L	S	L1	kg	15	2812 1003 00	61,4	20	50	0,058	28	2812 2003 00	93,4	23	73	0,143	35	2812 3003 00	89,9	26	68	0,192	42	2812 4003 00	106,4	30	80	0,231	54	2812 5003 00	132,4	35	100	0,367	76	2812 6003 00	206,8	55	159,5	1,15	89	2812 7003 00	236,5	60	182	1,58	108	2812 8003 00	285,9	75	219,6	2,25	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>L1</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1003 00</td><td>2,417</td><td>0,787</td><td>1,969</td><td>0,128</td></tr> <tr><td>1</td><td>2812 2003 00</td><td>3,598</td><td>0,906</td><td>2,874</td><td>0,315</td></tr> <tr><td>1 1/4</td><td>2812 3003 00</td><td>3,472</td><td>1,024</td><td>2,677</td><td>0,357</td></tr> <tr><td>1 1/2</td><td>2812 4003 00</td><td>4,189</td><td>1,181</td><td>3,150</td><td>0,509</td></tr> <tr><td>2</td><td>2812 5003 00</td><td>5,213</td><td>1,378</td><td>3,937</td><td>0,809</td></tr> <tr><td>2 3/4</td><td>2812 6003 00</td><td>8,142</td><td>2,165</td><td>6,380</td><td>2,535</td></tr> <tr><td>3 1/2</td><td>2812 7003 00</td><td>9,311</td><td>2,362</td><td>7,185</td><td>3,483</td></tr> <tr><td>4</td><td>2812 8003 00</td><td>11,256</td><td>2,953</td><td>8,646</td><td>4,960</td></tr> </tbody> </table>	D1	Part Number	L	S	L1	lb	1/2	2812 1003 00	2,417	0,787	1,969	0,128	1	2812 2003 00	3,598	0,906	2,874	0,315	1 1/4	2812 3003 00	3,472	1,024	2,677	0,357	1 1/2	2812 4003 00	4,189	1,181	3,150	0,509	2	2812 5003 00	5,213	1,378	3,937	0,809	2 3/4	2812 6003 00	8,142	2,165	6,380	2,535	3 1/2	2812 7003 00	9,311	2,362	7,185	3,483	4	2812 8003 00	11,256	2,953	8,646	4,960																																				
			D1	Part Number	L	S	L1	kg																																																																																																																																												
			15	2812 1003 00	61,4	20	50	0,058																																																																																																																																												
			28	2812 2003 00	93,4	23	73	0,143																																																																																																																																												
			35	2812 3003 00	89,9	26	68	0,192																																																																																																																																												
			42	2812 4003 00	106,4	30	80	0,231																																																																																																																																												
			54	2812 5003 00	132,4	35	100	0,367																																																																																																																																												
			76	2812 6003 00	206,8	55	159,5	1,15																																																																																																																																												
			89	2812 7003 00	236,5	60	182	1,58																																																																																																																																												
			108	2812 8003 00	285,9	75	219,6	2,25																																																																																																																																												
D1	Part Number	L	S	L1	lb																																																																																																																																															
1/2	2812 1003 00	2,417	0,787	1,969	0,128																																																																																																																																															
1	2812 2003 00	3,598	0,906	2,874	0,315																																																																																																																																															
1 1/4	2812 3003 00	3,472	1,024	2,677	0,357																																																																																																																																															
1 1/2	2812 4003 00	4,189	1,181	3,150	0,509																																																																																																																																															
2	2812 5003 00	5,213	1,378	3,937	0,809																																																																																																																																															
2 3/4	2812 6003 00	8,142	2,165	6,380	2,535																																																																																																																																															
3 1/2	2812 7003 00	9,311	2,362	7,185	3,483																																																																																																																																															
4	2812 8003 00	11,256	2,953	8,646	4,960																																																																																																																																															
04	ELBOW 45°		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>V</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1004 00</td><td>66,1</td><td>20</td><td>16</td><td>0,05</td></tr> <tr><td>28</td><td>2812 2004 00</td><td>91,7</td><td>23</td><td>24</td><td>0,112</td></tr> <tr><td>35</td><td>2812 3004 00</td><td>88</td><td>26</td><td>17,4</td><td>0,127</td></tr> <tr><td>42</td><td>2812 4004 00</td><td>103,3</td><td>30</td><td>20,7</td><td>0,177</td></tr> <tr><td>54</td><td>2812 5004 00</td><td>126,6</td><td>35</td><td>26,9</td><td>0,273</td></tr> <tr><td>76</td><td>2812 6004 00</td><td>255,6</td><td>55</td><td>75,5</td><td>0,9</td></tr> <tr><td>89</td><td>2812 7004 00</td><td>282,4</td><td>60</td><td>84,3</td><td>1,25</td></tr> <tr><td>108</td><td>2812 8004 00</td><td>331,8</td><td>75</td><td>93,7</td><td>1,7</td></tr> </tbody> </table>	D1	Part Number	L	S	V	kg	15	2812 1004 00	66,1	20	16	0,05	28	2812 2004 00	91,7	23	24	0,112	35	2812 3004 00	88	26	17,4	0,127	42	2812 4004 00	103,3	30	20,7	0,177	54	2812 5004 00	126,6	35	26,9	0,273	76	2812 6004 00	255,6	55	75,5	0,9	89	2812 7004 00	282,4	60	84,3	1,25	108	2812 8004 00	331,8	75	93,7	1,7	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>V</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1004 00</td><td>2,681</td><td>0,787</td><td>0,630</td><td>0,110</td></tr> <tr><td>1</td><td>2812 2004 00</td><td>3,610</td><td>0,906</td><td>0,945</td><td>0,247</td></tr> <tr><td>1 1/4</td><td>2812 3004 00</td><td>3,465</td><td>1,024</td><td>0,685</td><td>0,280</td></tr> <tr><td>1 1/2</td><td>2812 4004 00</td><td>4,067</td><td>1,181</td><td>0,815</td><td>0,390</td></tr> <tr><td>2</td><td>2812 5004 00</td><td>4,984</td><td>1,378</td><td>1,059</td><td>0,602</td></tr> <tr><td>2 3/4</td><td>2812 6004 00</td><td>10,063</td><td>2,165</td><td>3,012</td><td>1,984</td></tr> <tr><td>3 1/2</td><td>2812 7004 00</td><td>11,118</td><td>2,362</td><td>3,319</td><td>2,756</td></tr> <tr><td>4</td><td>2812 8004 00</td><td>13,063</td><td>2,953</td><td>3,689</td><td>3,748</td></tr> </tbody> </table>	D1	Part Number	L	S	V	lb	1/2	2812 1004 00	2,681	0,787	0,630	0,110	1	2812 2004 00	3,610	0,906	0,945	0,247	1 1/4	2812 3004 00	3,465	1,024	0,685	0,280	1 1/2	2812 4004 00	4,067	1,181	0,815	0,390	2	2812 5004 00	4,984	1,378	1,059	0,602	2 3/4	2812 6004 00	10,063	2,165	3,012	1,984	3 1/2	2812 7004 00	11,118	2,362	3,319	2,756	4	2812 8004 00	13,063	2,953	3,689	3,748																																				
			D1	Part Number	L	S	V	kg																																																																																																																																												
			15	2812 1004 00	66,1	20	16	0,05																																																																																																																																												
			28	2812 2004 00	91,7	23	24	0,112																																																																																																																																												
			35	2812 3004 00	88	26	17,4	0,127																																																																																																																																												
			42	2812 4004 00	103,3	30	20,7	0,177																																																																																																																																												
			54	2812 5004 00	126,6	35	26,9	0,273																																																																																																																																												
			76	2812 6004 00	255,6	55	75,5	0,9																																																																																																																																												
			89	2812 7004 00	282,4	60	84,3	1,25																																																																																																																																												
			108	2812 8004 00	331,8	75	93,7	1,7																																																																																																																																												
D1	Part Number	L	S	V	lb																																																																																																																																															
1/2	2812 1004 00	2,681	0,787	0,630	0,110																																																																																																																																															
1	2812 2004 00	3,610	0,906	0,945	0,247																																																																																																																																															
1 1/4	2812 3004 00	3,465	1,024	0,685	0,280																																																																																																																																															
1 1/2	2812 4004 00	4,067	1,181	0,815	0,390																																																																																																																																															
2	2812 5004 00	4,984	1,378	1,059	0,602																																																																																																																																															
2 3/4	2812 6004 00	10,063	2,165	3,012	1,984																																																																																																																																															
3 1/2	2812 7004 00	11,118	2,362	3,319	2,756																																																																																																																																															
4	2812 8004 00	13,063	2,953	3,689	3,748																																																																																																																																															
05	EQUAL TEE		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>T1</th> <th>T2</th> <th>H</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1005 00</td><td>68,8</td><td>20</td><td>14,4</td><td>19,2</td><td>50,6</td><td>0,087</td></tr> <tr><td>28</td><td>2812 2005 00</td><td>89,2</td><td>23</td><td>21,1</td><td>27</td><td>68,4</td><td>0,145</td></tr> <tr><td>35</td><td>2812 3005 00</td><td>102,5</td><td>26</td><td>25,25</td><td>31,3</td><td>79,2</td><td>0,201</td></tr> <tr><td>42</td><td>2812 4005 00</td><td>117,3</td><td>30</td><td>28,65</td><td>34,5</td><td>90,9</td><td>0,26</td></tr> <tr><td>54</td><td>2812 5005 00</td><td>139</td><td>35</td><td>34,5</td><td>42,1</td><td>109,5</td><td>0,404</td></tr> <tr><td>76</td><td>2812 6005 00</td><td>216</td><td>55</td><td>53</td><td>62,6</td><td>164,8</td><td>1,275</td></tr> <tr><td>89</td><td>2812 7005 00</td><td>263</td><td>60</td><td>71,5</td><td>74,5</td><td>189</td><td>1,535</td></tr> <tr><td>108</td><td>2812 8005 00</td><td>310</td><td>75</td><td>80</td><td>85</td><td>226,3</td><td>2,115</td></tr> </tbody> </table>	D1	Part Number	L	S	T1	T2	H	kg	15	2812 1005 00	68,8	20	14,4	19,2	50,6	0,087	28	2812 2005 00	89,2	23	21,1	27	68,4	0,145	35	2812 3005 00	102,5	26	25,25	31,3	79,2	0,201	42	2812 4005 00	117,3	30	28,65	34,5	90,9	0,26	54	2812 5005 00	139	35	34,5	42,1	109,5	0,404	76	2812 6005 00	216	55	53	62,6	164,8	1,275	89	2812 7005 00	263	60	71,5	74,5	189	1,535	108	2812 8005 00	310	75	80	85	226,3	2,115	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>T1</th> <th>T2</th> <th>H</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1005 00</td><td>2,709</td><td>0,787</td><td>0,567</td><td>0,756</td><td>1,992</td><td>0,148</td></tr> <tr><td>1</td><td>2812 2005 00</td><td>3,472</td><td>0,906</td><td>0,831</td><td>1,063</td><td>2,693</td><td>0,320</td></tr> <tr><td>1 1/4</td><td>2812 3005 00</td><td>4,035</td><td>1,024</td><td>0,994</td><td>1,232</td><td>3,118</td><td>0,443</td></tr> <tr><td>1 1/2</td><td>2812 4005 00</td><td>4,618</td><td>1,181</td><td>1,128</td><td>1,358</td><td>3,579</td><td>0,573</td></tr> <tr><td>2</td><td>2812 5005 00</td><td>5,472</td><td>1,378</td><td>1,358</td><td>1,657</td><td>4,311</td><td>0,891</td></tr> <tr><td>2 3/4</td><td>2812 6005 00</td><td>8,504</td><td>2,165</td><td>2,087</td><td>2,465</td><td>6,488</td><td>2,811</td></tr> <tr><td>3 1/2</td><td>2812 7005 00</td><td>10,354</td><td>2,362</td><td>2,815</td><td>2,933</td><td>7,441</td><td>3,384</td></tr> <tr><td>4</td><td>2812 8005 00</td><td>12,205</td><td>2,953</td><td>3,150</td><td>3,346</td><td>8,909</td><td>4,663</td></tr> </tbody> </table>	D1	Part Number	L	S	T1	T2	H	lb	1/2	2812 1005 00	2,709	0,787	0,567	0,756	1,992	0,148	1	2812 2005 00	3,472	0,906	0,831	1,063	2,693	0,320	1 1/4	2812 3005 00	4,035	1,024	0,994	1,232	3,118	0,443	1 1/2	2812 4005 00	4,618	1,181	1,128	1,358	3,579	0,573	2	2812 5005 00	5,472	1,378	1,358	1,657	4,311	0,891	2 3/4	2812 6005 00	8,504	2,165	2,087	2,465	6,488	2,811	3 1/2	2812 7005 00	10,354	2,362	2,815	2,933	7,441	3,384	4	2812 8005 00	12,205	2,953	3,150	3,346	8,909	4,663
			D1	Part Number	L	S	T1	T2	H	kg																																																																																																																																										
			15	2812 1005 00	68,8	20	14,4	19,2	50,6	0,087																																																																																																																																										
			28	2812 2005 00	89,2	23	21,1	27	68,4	0,145																																																																																																																																										
			35	2812 3005 00	102,5	26	25,25	31,3	79,2	0,201																																																																																																																																										
			42	2812 4005 00	117,3	30	28,65	34,5	90,9	0,26																																																																																																																																										
			54	2812 5005 00	139	35	34,5	42,1	109,5	0,404																																																																																																																																										
			76	2812 6005 00	216	55	53	62,6	164,8	1,275																																																																																																																																										
			89	2812 7005 00	263	60	71,5	74,5	189	1,535																																																																																																																																										
			108	2812 8005 00	310	75	80	85	226,3	2,115																																																																																																																																										
D1	Part Number	L	S	T1	T2	H	lb																																																																																																																																													
1/2	2812 1005 00	2,709	0,787	0,567	0,756	1,992	0,148																																																																																																																																													
1	2812 2005 00	3,472	0,906	0,831	1,063	2,693	0,320																																																																																																																																													
1 1/4	2812 3005 00	4,035	1,024	0,994	1,232	3,118	0,443																																																																																																																																													
1 1/2	2812 4005 00	4,618	1,181	1,128	1,358	3,579	0,573																																																																																																																																													
2	2812 5005 00	5,472	1,378	1,358	1,657	4,311	0,891																																																																																																																																													
2 3/4	2812 6005 00	8,504	2,165	2,087	2,465	6,488	2,811																																																																																																																																													
3 1/2	2812 7005 00	10,354	2,362	2,815	2,933	7,441	3,384																																																																																																																																													
4	2812 8005 00	12,205	2,953	3,150	3,346	8,909	4,663																																																																																																																																													
06	END CAP		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>S</th> <th>Kg.</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1006 00</td><td>44,2</td><td>20</td><td>0,032</td></tr> <tr><td>28</td><td>2812 2006 00</td><td>48,5</td><td>23</td><td>0,068</td></tr> <tr><td>35</td><td>2812 3006 00</td><td>52,3</td><td>26</td><td>0,095</td></tr> <tr><td>42</td><td>2812 4006 00</td><td>56</td><td>30</td><td>0,126</td></tr> <tr><td>54</td><td>2812 5006 00</td><td>62,6</td><td>35</td><td>0,165</td></tr> <tr><td>76</td><td>2812 6006 00</td><td>92,5</td><td>55</td><td>0,54</td></tr> <tr><td>89</td><td>2812 7006 00</td><td>102</td><td>60</td><td>0,63</td></tr> <tr><td>108</td><td>2812 8006 00</td><td>118</td><td>75</td><td>0,935</td></tr> </tbody> </table>	D1	Part Number	L	S	Kg.	15	2812 1006 00	44,2	20	0,032	28	2812 2006 00	48,5	23	0,068	35	2812 3006 00	52,3	26	0,095	42	2812 4006 00	56	30	0,126	54	2812 5006 00	62,6	35	0,165	76	2812 6006 00	92,5	55	0,54	89	2812 7006 00	102	60	0,63	108	2812 8006 00	118	75	0,935	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>I</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1006 00</td><td>1,740</td><td>0,787</td><td>0,071</td></tr> <tr><td>1</td><td>2812 2006 00</td><td>1,909</td><td>0,906</td><td>0,150</td></tr> <tr><td>1 1/4</td><td>2812 3006 00</td><td>2,059</td><td>1,024</td><td>0,209</td></tr> <tr><td>1 1/2</td><td>2812 4006 00</td><td>2,205</td><td>1,181</td><td>0,278</td></tr> <tr><td>2</td><td>2812 5006 00</td><td>2,465</td><td>1,378</td><td>0,408</td></tr> <tr><td>2 3/4</td><td>2812 6006 00</td><td>3,642</td><td>2,165</td><td>1,190</td></tr> <tr><td>3 1/2</td><td>2812 7006 00</td><td>4,016</td><td>2,362</td><td>1,389</td></tr> <tr><td>4</td><td>2812 8006 00</td><td>4,646</td><td>2,953</td><td>2,061</td></tr> </tbody> </table>	D1	Part Number	L	I	lb	1/2	2812 1006 00	1,740	0,787	0,071	1	2812 2006 00	1,909	0,906	0,150	1 1/4	2812 3006 00	2,059	1,024	0,209	1 1/2	2812 4006 00	2,205	1,181	0,278	2	2812 5006 00	2,465	1,378	0,408	2 3/4	2812 6006 00	3,642	2,165	1,190	3 1/2	2812 7006 00	4,016	2,362	1,389	4	2812 8006 00	4,646	2,953	2,061																																																						
			D1	Part Number	L	S	Kg.																																																																																																																																													
			15	2812 1006 00	44,2	20	0,032																																																																																																																																													
			28	2812 2006 00	48,5	23	0,068																																																																																																																																													
			35	2812 3006 00	52,3	26	0,095																																																																																																																																													
			42	2812 4006 00	56	30	0,126																																																																																																																																													
			54	2812 5006 00	62,6	35	0,165																																																																																																																																													
			76	2812 6006 00	92,5	55	0,54																																																																																																																																													
			89	2812 7006 00	102	60	0,63																																																																																																																																													
			108	2812 8006 00	118	75	0,935																																																																																																																																													
D1	Part Number	L	I	lb																																																																																																																																																
1/2	2812 1006 00	1,740	0,787	0,071																																																																																																																																																
1	2812 2006 00	1,909	0,906	0,150																																																																																																																																																
1 1/4	2812 3006 00	2,059	1,024	0,209																																																																																																																																																
1 1/2	2812 4006 00	2,205	1,181	0,278																																																																																																																																																
2	2812 5006 00	2,465	1,378	0,408																																																																																																																																																
2 3/4	2812 6006 00	3,642	2,165	1,190																																																																																																																																																
3 1/2	2812 7006 00	4,016	2,362	1,389																																																																																																																																																
4	2812 8006 00	4,646	2,953	2,061																																																																																																																																																

<p>07</p> <p>REDUCTION TEE</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>D2</th> <th>L</th> <th>H</th> <th>S1</th> <th>S2</th> <th>T1</th> <th>T2</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>28</td><td>2812 2107 00</td><td>15</td><td>88,2</td><td>64,1</td><td>23</td><td>20</td><td>42,20</td><td>25,7</td><td>0,126</td></tr> <tr><td>35</td><td>2812 3207 00</td><td>28</td><td>102,5</td><td>75,4</td><td>26</td><td>23</td><td>50,5</td><td>30,5</td><td>0,171</td></tr> <tr><td>42</td><td>2812 4307 00</td><td>35</td><td>117,3</td><td>87,2</td><td>30</td><td>26</td><td>57,3</td><td>34,8</td><td>0,272</td></tr> <tr><td>54</td><td>2812 5407 00</td><td>42</td><td>139</td><td>104,4</td><td>35</td><td>30</td><td>69</td><td>42</td><td>0,378</td></tr> <tr><td>76</td><td>2812 6507 00</td><td>54</td><td>216</td><td>137,9</td><td>55</td><td>35</td><td>106</td><td>55,7</td><td>1,065</td></tr> <tr><td>89</td><td>2812 7607 00</td><td>76</td><td>263</td><td>179,5</td><td>60</td><td>55</td><td>143</td><td>70</td><td>1,485</td></tr> <tr><td>108</td><td>2812 8707 00</td><td>89</td><td>310</td><td>210,3</td><td>75</td><td>60</td><td>160</td><td>84</td><td>1,965</td></tr> </tbody> </table>	D1	Part Number	D2	L	H	S1	S2	T1	T2	kg	28	2812 2107 00	15	88,2	64,1	23	20	42,20	25,7	0,126	35	2812 3207 00	28	102,5	75,4	26	23	50,5	30,5	0,171	42	2812 4307 00	35	117,3	87,2	30	26	57,3	34,8	0,272	54	2812 5407 00	42	139	104,4	35	30	69	42	0,378	76	2812 6507 00	54	216	137,9	55	35	106	55,7	1,065	89	2812 7607 00	76	263	179,5	60	55	143	70	1,485	108	2812 8707 00	89	310	210,3	75	60	160	84	1,965	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>D2</th> <th>L</th> <th>H</th> <th>S1</th> <th>S2</th> <th>T1</th> <th>T2</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1</td><td>2812 2107 00</td><td>0,591</td><td>3,472</td><td>2,524</td><td>0,906</td><td>0,787</td><td>1,661</td><td>1,012</td><td>0,277</td></tr> <tr><td>1 1/4</td><td>2812 3207 00</td><td>1,102</td><td>4,035</td><td>2,969</td><td>1,024</td><td>0,906</td><td>1,988</td><td>1,201</td><td>0,377</td></tr> <tr><td>1 1/2</td><td>2812 4307 00</td><td>1,378</td><td>4,618</td><td>3,433</td><td>1,181</td><td>1,024</td><td>2,256</td><td>1,370</td><td>0,600</td></tr> <tr><td>2</td><td>2812 5407 00</td><td>1,654</td><td>5,472</td><td>4,110</td><td>1,378</td><td>1,181</td><td>2,717</td><td>1,654</td><td>0,829</td></tr> <tr><td>2 3/4</td><td>2812 6507 00</td><td>2,126</td><td>8,504</td><td>5,425</td><td>2,165</td><td>1,378</td><td>4,173</td><td>2,493</td><td>2,348</td></tr> <tr><td>3 1/2</td><td>2812 7607 00</td><td>2,992</td><td>10,354</td><td>7,067</td><td>2,362</td><td>1,653</td><td>5,630</td><td>2,756</td><td>3,274</td></tr> <tr><td>4</td><td>2812 8707 00</td><td>3,504</td><td>12,205</td><td>8,280</td><td>2,953</td><td>2,362</td><td>6,299</td><td>3,307</td><td>4,332</td></tr> </tbody> </table>	D1	Part Number	D2	L	H	S1	S2	T1	T2	lb	1	2812 2107 00	0,591	3,472	2,524	0,906	0,787	1,661	1,012	0,277	1 1/4	2812 3207 00	1,102	4,035	2,969	1,024	0,906	1,988	1,201	0,377	1 1/2	2812 4307 00	1,378	4,618	3,433	1,181	1,024	2,256	1,370	0,600	2	2812 5407 00	1,654	5,472	4,110	1,378	1,181	2,717	1,654	0,829	2 3/4	2812 6507 00	2,126	8,504	5,425	2,165	1,378	4,173	2,493	2,348	3 1/2	2812 7607 00	2,992	10,354	7,067	2,362	1,653	5,630	2,756	3,274	4	2812 8707 00	3,504	12,205	8,280	2,953	2,362	6,299	3,307	4,332																																																																
D1	Part Number	D2	L	H	S1	S2	T1	T2	kg																																																																																																																																																																																																																										
28	2812 2107 00	15	88,2	64,1	23	20	42,20	25,7	0,126																																																																																																																																																																																																																										
35	2812 3207 00	28	102,5	75,4	26	23	50,5	30,5	0,171																																																																																																																																																																																																																										
42	2812 4307 00	35	117,3	87,2	30	26	57,3	34,8	0,272																																																																																																																																																																																																																										
54	2812 5407 00	42	139	104,4	35	30	69	42	0,378																																																																																																																																																																																																																										
76	2812 6507 00	54	216	137,9	55	35	106	55,7	1,065																																																																																																																																																																																																																										
89	2812 7607 00	76	263	179,5	60	55	143	70	1,485																																																																																																																																																																																																																										
108	2812 8707 00	89	310	210,3	75	60	160	84	1,965																																																																																																																																																																																																																										
D1	Part Number	D2	L	H	S1	S2	T1	T2	lb																																																																																																																																																																																																																										
1	2812 2107 00	0,591	3,472	2,524	0,906	0,787	1,661	1,012	0,277																																																																																																																																																																																																																										
1 1/4	2812 3207 00	1,102	4,035	2,969	1,024	0,906	1,988	1,201	0,377																																																																																																																																																																																																																										
1 1/2	2812 4307 00	1,378	4,618	3,433	1,181	1,024	2,256	1,370	0,600																																																																																																																																																																																																																										
2	2812 5407 00	1,654	5,472	4,110	1,378	1,181	2,717	1,654	0,829																																																																																																																																																																																																																										
2 3/4	2812 6507 00	2,126	8,504	5,425	2,165	1,378	4,173	2,493	2,348																																																																																																																																																																																																																										
3 1/2	2812 7607 00	2,992	10,354	7,067	2,362	1,653	5,630	2,756	3,274																																																																																																																																																																																																																										
4	2812 8707 00	3,504	12,205	8,280	2,953	2,362	6,299	3,307	4,332																																																																																																																																																																																																																										
<p>08</p> <p>REDUCTION TEE THREADED ISO 228</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>L</th> <th>Lt</th> <th>H</th> <th>S</th> <th>T</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1008 00</td><td>Rp 1/2</td><td>68,8</td><td>15</td><td>51,4</td><td>20</td><td>28,8</td><td>24</td><td>0,09</td></tr> <tr><td>28</td><td>2812 2108 00</td><td>Rp 3/4</td><td>88,2</td><td>16,5</td><td>67,9</td><td>23</td><td>42,2</td><td>30</td><td>0,185</td></tr> <tr><td>35</td><td>2812 3108 00</td><td>Rp 3/4</td><td>102,5</td><td>16,5</td><td>74,9</td><td>26</td><td>50,5</td><td>30</td><td>0,205</td></tr> <tr><td>42</td><td>2812 4108 00</td><td>Rp 3/4</td><td>117,3</td><td>16,5</td><td>82,9</td><td>30</td><td>57,3</td><td>30</td><td>0,277</td></tr> <tr><td>54</td><td>2812 5108 00</td><td>Rp 3/4</td><td>139</td><td>16,5</td><td>96,4</td><td>35</td><td>69</td><td>30</td><td>0,391</td></tr> <tr><td>76</td><td>2812 6108 00</td><td>Rp 3/4</td><td>216</td><td>16,5</td><td>123,3</td><td>55</td><td>106</td><td>30</td><td>1,04</td></tr> <tr><td>89</td><td>2812 7108 00</td><td>Rp 3/4</td><td>263</td><td>16,5</td><td>138</td><td>60</td><td>143</td><td>30</td><td>1,255</td></tr> <tr><td>108</td><td>2812 8108 00</td><td>Rp 3/4</td><td>310</td><td>16,5</td><td>159,3</td><td>75</td><td>160</td><td>30</td><td>1,7</td></tr> </tbody> </table>	D1	Part Number	Th	L	Lt	H	S	T	N	kg	15	2812 1008 00	Rp 1/2	68,8	15	51,4	20	28,8	24	0,09	28	2812 2108 00	Rp 3/4	88,2	16,5	67,9	23	42,2	30	0,185	35	2812 3108 00	Rp 3/4	102,5	16,5	74,9	26	50,5	30	0,205	42	2812 4108 00	Rp 3/4	117,3	16,5	82,9	30	57,3	30	0,277	54	2812 5108 00	Rp 3/4	139	16,5	96,4	35	69	30	0,391	76	2812 6108 00	Rp 3/4	216	16,5	123,3	55	106	30	1,04	89	2812 7108 00	Rp 3/4	263	16,5	138	60	143	30	1,255	108	2812 8108 00	Rp 3/4	310	16,5	159,3	75	160	30	1,7	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>L</th> <th>Lt</th> <th>H</th> <th>S</th> <th>T</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1008 00</td><td>Rp 1/2</td><td>2,709</td><td>0,591</td><td>2,024</td><td>0,787</td><td>1,134</td><td>0,945</td><td>0,198</td></tr> <tr><td>1</td><td>2812 2108 00</td><td>Rp 3/4</td><td>3,472</td><td>0,650</td><td>2,673</td><td>0,906</td><td>1,661</td><td>1,181</td><td>0,408</td></tr> <tr><td>1 1/4</td><td>2812 3108 00</td><td>Rp 3/4</td><td>4,035</td><td>0,650</td><td>2,949</td><td>1,024</td><td>1,988</td><td>1,181</td><td>0,452</td></tr> <tr><td>1 1/2</td><td>2812 4108 00</td><td>Rp 3/4</td><td>4,618</td><td>0,650</td><td>3,264</td><td>1,181</td><td>2,256</td><td>1,181</td><td>0,611</td></tr> <tr><td>2</td><td>2812 5108 00</td><td>Rp 3/4</td><td>5,472</td><td>0,650</td><td>3,795</td><td>1,378</td><td>2,717</td><td>1,181</td><td>0,862</td></tr> <tr><td>2 3/4</td><td>2812 6108 00</td><td>Rp 3/4</td><td>8,504</td><td>0,650</td><td>4,854</td><td>2,165</td><td>4,173</td><td>1,181</td><td>2,293</td></tr> <tr><td>3 1/2</td><td>2812 7108 00</td><td>Rp 3/4</td><td>10,354</td><td>0,650</td><td>5,433</td><td>2,362</td><td>5,630</td><td>1,181</td><td>2,767</td></tr> <tr><td>4</td><td>2812 8108 00</td><td>Rp 3/4</td><td>12,205</td><td>0,650</td><td>6,272</td><td>2,953</td><td>6,299</td><td>1,181</td><td>3,748</td></tr> </tbody> </table>	D1	Part Number	Th	L	Lt	H	S	T	N	lb	1/2	2812 1008 00	Rp 1/2	2,709	0,591	2,024	0,787	1,134	0,945	0,198	1	2812 2108 00	Rp 3/4	3,472	0,650	2,673	0,906	1,661	1,181	0,408	1 1/4	2812 3108 00	Rp 3/4	4,035	0,650	2,949	1,024	1,988	1,181	0,452	1 1/2	2812 4108 00	Rp 3/4	4,618	0,650	3,264	1,181	2,256	1,181	0,611	2	2812 5108 00	Rp 3/4	5,472	0,650	3,795	1,378	2,717	1,181	0,862	2 3/4	2812 6108 00	Rp 3/4	8,504	0,650	4,854	2,165	4,173	1,181	2,293	3 1/2	2812 7108 00	Rp 3/4	10,354	0,650	5,433	2,362	5,630	1,181	2,767	4	2812 8108 00	Rp 3/4	12,205	0,650	6,272	2,953	6,299	1,181	3,748																																												
D1	Part Number	Th	L	Lt	H	S	T	N	kg																																																																																																																																																																																																																										
15	2812 1008 00	Rp 1/2	68,8	15	51,4	20	28,8	24	0,09																																																																																																																																																																																																																										
28	2812 2108 00	Rp 3/4	88,2	16,5	67,9	23	42,2	30	0,185																																																																																																																																																																																																																										
35	2812 3108 00	Rp 3/4	102,5	16,5	74,9	26	50,5	30	0,205																																																																																																																																																																																																																										
42	2812 4108 00	Rp 3/4	117,3	16,5	82,9	30	57,3	30	0,277																																																																																																																																																																																																																										
54	2812 5108 00	Rp 3/4	139	16,5	96,4	35	69	30	0,391																																																																																																																																																																																																																										
76	2812 6108 00	Rp 3/4	216	16,5	123,3	55	106	30	1,04																																																																																																																																																																																																																										
89	2812 7108 00	Rp 3/4	263	16,5	138	60	143	30	1,255																																																																																																																																																																																																																										
108	2812 8108 00	Rp 3/4	310	16,5	159,3	75	160	30	1,7																																																																																																																																																																																																																										
D1	Part Number	Th	L	Lt	H	S	T	N	lb																																																																																																																																																																																																																										
1/2	2812 1008 00	Rp 1/2	2,709	0,591	2,024	0,787	1,134	0,945	0,198																																																																																																																																																																																																																										
1	2812 2108 00	Rp 3/4	3,472	0,650	2,673	0,906	1,661	1,181	0,408																																																																																																																																																																																																																										
1 1/4	2812 3108 00	Rp 3/4	4,035	0,650	2,949	1,024	1,988	1,181	0,452																																																																																																																																																																																																																										
1 1/2	2812 4108 00	Rp 3/4	4,618	0,650	3,264	1,181	2,256	1,181	0,611																																																																																																																																																																																																																										
2	2812 5108 00	Rp 3/4	5,472	0,650	3,795	1,378	2,717	1,181	0,862																																																																																																																																																																																																																										
2 3/4	2812 6108 00	Rp 3/4	8,504	0,650	4,854	2,165	4,173	1,181	2,293																																																																																																																																																																																																																										
3 1/2	2812 7108 00	Rp 3/4	10,354	0,650	5,433	2,362	5,630	1,181	2,767																																																																																																																																																																																																																										
4	2812 8108 00	Rp 3/4	12,205	0,650	6,272	2,953	6,299	1,181	3,748																																																																																																																																																																																																																										
<p>09</p> <p>REDUCTION TEE THREADED NPT</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>L</th> <th>Lt</th> <th>H</th> <th>S</th> <th>T</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1009 00</td><td>1/2 NPT</td><td>68,8</td><td>15</td><td>51,4</td><td>20</td><td>28,8</td><td>24</td><td>0,09</td></tr> <tr><td>28</td><td>2812 2109 00</td><td>3/4 NPT</td><td>88,2</td><td>16,5</td><td>67,9</td><td>23</td><td>42,2</td><td>30</td><td>0,185</td></tr> <tr><td>35</td><td>2812 3109 00</td><td>3/4 NPT</td><td>102,5</td><td>16,5</td><td>74,9</td><td>26</td><td>50,5</td><td>30</td><td>0,205</td></tr> <tr><td>42</td><td>2812 4109 00</td><td>3/4 NPT</td><td>117,3</td><td>16,5</td><td>82,9</td><td>30</td><td>57,3</td><td>30</td><td>0,277</td></tr> <tr><td>54</td><td>2812 5109 00</td><td>3/4 NPT</td><td>139</td><td>16,5</td><td>96,4</td><td>35</td><td>69</td><td>30</td><td>0,391</td></tr> <tr><td>76</td><td>2812 6109 00</td><td>3/4 NPT</td><td>216</td><td>16,5</td><td>123,3</td><td>55</td><td>106</td><td>30</td><td>1,04</td></tr> <tr><td>89</td><td>2812 7109 00</td><td>3/4 NPT</td><td>263</td><td>16,5</td><td>138</td><td>60</td><td>143</td><td>30</td><td>1,255</td></tr> <tr><td>108</td><td>2812 8109 00</td><td>3/4 NPT</td><td>310</td><td>16,5</td><td>159,3</td><td>75</td><td>160</td><td>30</td><td>1,7</td></tr> </tbody> </table>	D1	Part Number	Th	L	Lt	H	S	T	N	kg	15	2812 1009 00	1/2 NPT	68,8	15	51,4	20	28,8	24	0,09	28	2812 2109 00	3/4 NPT	88,2	16,5	67,9	23	42,2	30	0,185	35	2812 3109 00	3/4 NPT	102,5	16,5	74,9	26	50,5	30	0,205	42	2812 4109 00	3/4 NPT	117,3	16,5	82,9	30	57,3	30	0,277	54	2812 5109 00	3/4 NPT	139	16,5	96,4	35	69	30	0,391	76	2812 6109 00	3/4 NPT	216	16,5	123,3	55	106	30	1,04	89	2812 7109 00	3/4 NPT	263	16,5	138	60	143	30	1,255	108	2812 8109 00	3/4 NPT	310	16,5	159,3	75	160	30	1,7	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>L</th> <th>Lt</th> <th>H</th> <th>S</th> <th>T</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1009 00</td><td>1/2 NPT</td><td>2,709</td><td>0,591</td><td>2,024</td><td>0,787</td><td>1,134</td><td>0,945</td><td>0,198</td></tr> <tr><td>1</td><td>2812 2109 00</td><td>3/4 NPT</td><td>3,472</td><td>0,650</td><td>2,673</td><td>0,906</td><td>1,661</td><td>1,181</td><td>0,408</td></tr> <tr><td>1 1/4</td><td>2812 3109 00</td><td>3/4 NPT</td><td>4,035</td><td>0,650</td><td>2,949</td><td>1,024</td><td>1,988</td><td>1,181</td><td>0,452</td></tr> <tr><td>1 1/2</td><td>2812 4109 00</td><td>3/4 NPT</td><td>4,618</td><td>0,650</td><td>3,264</td><td>1,181</td><td>2,256</td><td>1,181</td><td>0,611</td></tr> <tr><td>2</td><td>2812 5109 00</td><td>3/4 NPT</td><td>5,472</td><td>0,650</td><td>3,795</td><td>1,378</td><td>2,717</td><td>1,181</td><td>0,862</td></tr> <tr><td>2 3/4</td><td>2812 6109 00</td><td>3/4 NPT</td><td>8,504</td><td>0,650</td><td>4,854</td><td>2,165</td><td>4,173</td><td>1,181</td><td>2,293</td></tr> <tr><td>3 1/2</td><td>2812 7109 00</td><td>3/4 NPT</td><td>10,354</td><td>0,650</td><td>5,433</td><td>2,362</td><td>5,630</td><td>1,181</td><td>2,767</td></tr> <tr><td>4</td><td>2812 8109 00</td><td>3/4 NPT</td><td>12,205</td><td>0,650</td><td>6,272</td><td>2,953</td><td>6,299</td><td>1,181</td><td>3,748</td></tr> </tbody> </table>	D1	Part Number	Th	L	Lt	H	S	T	N	lb	1/2	2812 1009 00	1/2 NPT	2,709	0,591	2,024	0,787	1,134	0,945	0,198	1	2812 2109 00	3/4 NPT	3,472	0,650	2,673	0,906	1,661	1,181	0,408	1 1/4	2812 3109 00	3/4 NPT	4,035	0,650	2,949	1,024	1,988	1,181	0,452	1 1/2	2812 4109 00	3/4 NPT	4,618	0,650	3,264	1,181	2,256	1,181	0,611	2	2812 5109 00	3/4 NPT	5,472	0,650	3,795	1,378	2,717	1,181	0,862	2 3/4	2812 6109 00	3/4 NPT	8,504	0,650	4,854	2,165	4,173	1,181	2,293	3 1/2	2812 7109 00	3/4 NPT	10,354	0,650	5,433	2,362	5,630	1,181	2,767	4	2812 8109 00	3/4 NPT	12,205	0,650	6,272	2,953	6,299	1,181	3,748																																												
D1	Part Number	Th	L	Lt	H	S	T	N	kg																																																																																																																																																																																																																										
15	2812 1009 00	1/2 NPT	68,8	15	51,4	20	28,8	24	0,09																																																																																																																																																																																																																										
28	2812 2109 00	3/4 NPT	88,2	16,5	67,9	23	42,2	30	0,185																																																																																																																																																																																																																										
35	2812 3109 00	3/4 NPT	102,5	16,5	74,9	26	50,5	30	0,205																																																																																																																																																																																																																										
42	2812 4109 00	3/4 NPT	117,3	16,5	82,9	30	57,3	30	0,277																																																																																																																																																																																																																										
54	2812 5109 00	3/4 NPT	139	16,5	96,4	35	69	30	0,391																																																																																																																																																																																																																										
76	2812 6109 00	3/4 NPT	216	16,5	123,3	55	106	30	1,04																																																																																																																																																																																																																										
89	2812 7109 00	3/4 NPT	263	16,5	138	60	143	30	1,255																																																																																																																																																																																																																										
108	2812 8109 00	3/4 NPT	310	16,5	159,3	75	160	30	1,7																																																																																																																																																																																																																										
D1	Part Number	Th	L	Lt	H	S	T	N	lb																																																																																																																																																																																																																										
1/2	2812 1009 00	1/2 NPT	2,709	0,591	2,024	0,787	1,134	0,945	0,198																																																																																																																																																																																																																										
1	2812 2109 00	3/4 NPT	3,472	0,650	2,673	0,906	1,661	1,181	0,408																																																																																																																																																																																																																										
1 1/4	2812 3109 00	3/4 NPT	4,035	0,650	2,949	1,024	1,988	1,181	0,452																																																																																																																																																																																																																										
1 1/2	2812 4109 00	3/4 NPT	4,618	0,650	3,264	1,181	2,256	1,181	0,611																																																																																																																																																																																																																										
2	2812 5109 00	3/4 NPT	5,472	0,650	3,795	1,378	2,717	1,181	0,862																																																																																																																																																																																																																										
2 3/4	2812 6109 00	3/4 NPT	8,504	0,650	4,854	2,165	4,173	1,181	2,293																																																																																																																																																																																																																										
3 1/2	2812 7109 00	3/4 NPT	10,354	0,650	5,433	2,362	5,630	1,181	2,767																																																																																																																																																																																																																										
4	2812 8109 00	3/4 NPT	12,205	0,650	6,272	2,953	6,299	1,181	3,748																																																																																																																																																																																																																										
<p>10</p> <p>QUICK DROP</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>D2</th> <th>H</th> <th>L</th> <th>S</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>76</td><td>2812 6310 00</td><td>35</td><td>134</td><td>122</td><td>26</td><td>0,7</td></tr> <tr><td>89</td><td>2812 7410 00</td><td>42</td><td>150</td><td>140</td><td>30</td><td>0,74</td></tr> <tr><td>108</td><td>2812 8510 00</td><td>54</td><td>176</td><td>160</td><td>35</td><td>1,09</td></tr> </tbody> </table>	D1	Part Number	D2	H	L	S	kg	76	2812 6310 00	35	134	122	26	0,7	89	2812 7410 00	42	150	140	30	0,74	108	2812 8510 00	54	176	160	35	1,09	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>D2</th> <th>H</th> <th>L</th> <th>S</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>2 3/4</td><td>2812 6310 00</td><td>1 1/4</td><td>5,276</td><td>4,803</td><td>1,024</td><td>1,543</td></tr> <tr><td>3 1/2</td><td>2812 7410 00</td><td>1 1/2</td><td>5,906</td><td>5,512</td><td>1,181</td><td>1,631</td></tr> <tr><td>4</td><td>2812 8510 00</td><td>2</td><td>6,929</td><td>6,299</td><td>1,378</td><td>2,403</td></tr> </tbody> </table>	D1	Part Number	D2	H	L	S	lb	2 3/4	2812 6310 00	1 1/4	5,276	4,803	1,024	1,543	3 1/2	2812 7410 00	1 1/2	5,906	5,512	1,181	1,631	4	2812 8510 00	2	6,929	6,299	1,378	2,403																																																																																																																																																																								
D1	Part Number	D2	H	L	S	kg																																																																																																																																																																																																																													
76	2812 6310 00	35	134	122	26	0,7																																																																																																																																																																																																																													
89	2812 7410 00	42	150	140	30	0,74																																																																																																																																																																																																																													
108	2812 8510 00	54	176	160	35	1,09																																																																																																																																																																																																																													
D1	Part Number	D2	H	L	S	lb																																																																																																																																																																																																																													
2 3/4	2812 6310 00	1 1/4	5,276	4,803	1,024	1,543																																																																																																																																																																																																																													
3 1/2	2812 7410 00	1 1/2	5,906	5,512	1,181	1,631																																																																																																																																																																																																																													
4	2812 8510 00	2	6,929	6,299	1,378	2,403																																																																																																																																																																																																																													
<p>13</p> <p>ADAPTER UNION FEMALE ISO 228</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt</th> <th>L</th> <th>S</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1113 00</td><td>Rp 1/2</td><td>12</td><td>71,2</td><td>20</td><td>27</td><td>0,135</td></tr> <tr><td>28</td><td>2812 2213 00</td><td>Rp 1</td><td>17</td><td>83</td><td>23</td><td>46</td><td>0,387</td></tr> <tr><td>35</td><td>2812 3313 00</td><td>Rp 1 1/4</td><td>19</td><td>92,8</td><td>26</td><td>50</td><td>0,487</td></tr> <tr><td>42</td><td>2812 4413 00</td><td>Rp 1 1/2</td><td>18,5</td><td>92,5</td><td>30</td><td>55</td><td>0,488</td></tr> <tr><td>54</td><td>2812 5513 00</td><td>Rp 2</td><td>26</td><td>111,1</td><td>35</td><td>70</td><td>0,902</td></tr> </tbody> </table>	D1	Part Number	Th	Lt	L	S	N	kg	15	2812 1113 00	Rp 1/2	12	71,2	20	27	0,135	28	2812 2213 00	Rp 1	17	83	23	46	0,387	35	2812 3313 00	Rp 1 1/4	19	92,8	26	50	0,487	42	2812 4413 00	Rp 1 1/2	18,5	92,5	30	55	0,488	54	2812 5513 00	Rp 2	26	111,1	35	70	0,902	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt</th> <th>L</th> <th>S</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1113 00</td><td>Rp 1/2</td><td>0,472</td><td>2,803</td><td>0,787</td><td>1,063</td><td>0,298</td></tr> <tr><td>1</td><td>2812 2213 00</td><td>Rp 1</td><td>0,669</td><td>3,268</td><td>0,906</td><td>1,811</td><td>0,853</td></tr> <tr><td>1 1/4</td><td>2812 3313 00</td><td>Rp 1 1/4</td><td>0,748</td><td>3,654</td><td>1,024</td><td>1,969</td><td>1,030</td></tr> <tr><td>1 1/2</td><td>2812 4413 00</td><td>Rp 1 1/2</td><td>0,728</td><td>3,642</td><td>1,181</td><td>2,165</td><td>1,076</td></tr> <tr><td>2</td><td>2812 5513 00</td><td>Rp 2</td><td>1,02</td><td>4,37</td><td>1,38</td><td>2,76</td><td>1,989</td></tr> </tbody> </table>	D1	Part Number	Th	Lt	L	S	N	lb	1/2	2812 1113 00	Rp 1/2	0,472	2,803	0,787	1,063	0,298	1	2812 2213 00	Rp 1	0,669	3,268	0,906	1,811	0,853	1 1/4	2812 3313 00	Rp 1 1/4	0,748	3,654	1,024	1,969	1,030	1 1/2	2812 4413 00	Rp 1 1/2	0,728	3,642	1,181	2,165	1,076	2	2812 5513 00	Rp 2	1,02	4,37	1,38	2,76	1,989																																																																																																																																
D1	Part Number	Th	Lt	L	S	N	kg																																																																																																																																																																																																																												
15	2812 1113 00	Rp 1/2	12	71,2	20	27	0,135																																																																																																																																																																																																																												
28	2812 2213 00	Rp 1	17	83	23	46	0,387																																																																																																																																																																																																																												
35	2812 3313 00	Rp 1 1/4	19	92,8	26	50	0,487																																																																																																																																																																																																																												
42	2812 4413 00	Rp 1 1/2	18,5	92,5	30	55	0,488																																																																																																																																																																																																																												
54	2812 5513 00	Rp 2	26	111,1	35	70	0,902																																																																																																																																																																																																																												
D1	Part Number	Th	Lt	L	S	N	lb																																																																																																																																																																																																																												
1/2	2812 1113 00	Rp 1/2	0,472	2,803	0,787	1,063	0,298																																																																																																																																																																																																																												
1	2812 2213 00	Rp 1	0,669	3,268	0,906	1,811	0,853																																																																																																																																																																																																																												
1 1/4	2812 3313 00	Rp 1 1/4	0,748	3,654	1,024	1,969	1,030																																																																																																																																																																																																																												
1 1/2	2812 4413 00	Rp 1 1/2	0,728	3,642	1,181	2,165	1,076																																																																																																																																																																																																																												
2	2812 5513 00	Rp 2	1,02	4,37	1,38	2,76	1,989																																																																																																																																																																																																																												
<p>14</p> <p>ADAPTER UNION FEMALE NPT</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt (MIN)</th> <th>L</th> <th>S</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1114 00</td><td>1/2 NPT</td><td>13,57</td><td>71,2</td><td>20</td><td>27</td><td>0,135</td></tr> <tr><td>28</td><td>2812 2214 00</td><td>1 NPT</td><td>16,79</td><td>83</td><td>23</td><td>46</td><td>0,387</td></tr> <tr><td>35</td><td>2812 3314 00</td><td>1 1/4 NPT</td><td>17,3</td><td>92,8</td><td>26</td><td>50</td><td>0,487</td></tr> <tr><td>42</td><td>2812 4414 00</td><td>1 1/2 NPT</td><td>17,3</td><td>92,5</td><td>30</td><td>55</td><td>0,488</td></tr> <tr><td>54</td><td>2812 5514 00</td><td>2 NPT</td><td>17,7</td><td>111,1</td><td>35</td><td>70</td><td>0,902</td></tr> </tbody> </table>	D1	Part Number	Th	Lt (MIN)	L	S	N	kg	15	2812 1114 00	1/2 NPT	13,57	71,2	20	27	0,135	28	2812 2214 00	1 NPT	16,79	83	23	46	0,387	35	2812 3314 00	1 1/4 NPT	17,3	92,8	26	50	0,487	42	2812 4414 00	1 1/2 NPT	17,3	92,5	30	55	0,488	54	2812 5514 00	2 NPT	17,7	111,1	35	70	0,902	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt (MIN)</th> <th>L</th> <th>S</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1114 00</td><td>1/2 NPT</td><td>0,534</td><td>2,803</td><td>0,787</td><td>1,063</td><td>0,298</td></tr> <tr><td>1</td><td>2812 2214 00</td><td>1 NPT</td><td>0,661</td><td>3,268</td><td>0,906</td><td>1,811</td><td>0,853</td></tr> <tr><td>1 1/4</td><td>2812 3314 00</td><td>1 1/4 NPT</td><td>0,681</td><td>3,654</td><td>1,024</td><td>1,969</td><td>1,030</td></tr> <tr><td>1 1/2</td><td>2812 4414 00</td><td>1 1/2 NPT</td><td>0,681</td><td>3,642</td><td>1,181</td><td>2,165</td><td>1,076</td></tr> <tr><td>2</td><td>2812 5514 00</td><td>2 NPT</td><td>0,70</td><td>4,37</td><td>1,38</td><td>2,76</td><td>1,989</td></tr> </tbody> </table>	D1	Part Number	Th	Lt (MIN)	L	S	N	lb	1/2	2812 1114 00	1/2 NPT	0,534	2,803	0,787	1,063	0,298	1	2812 2214 00	1 NPT	0,661	3,268	0,906	1,811	0,853	1 1/4	2812 3314 00	1 1/4 NPT	0,681	3,654	1,024	1,969	1,030	1 1/2	2812 4414 00	1 1/2 NPT	0,681	3,642	1,181	2,165	1,076	2	2812 5514 00	2 NPT	0,70	4,37	1,38	2,76	1,989																																																																																																																																
D1	Part Number	Th	Lt (MIN)	L	S	N	kg																																																																																																																																																																																																																												
15	2812 1114 00	1/2 NPT	13,57	71,2	20	27	0,135																																																																																																																																																																																																																												
28	2812 2214 00	1 NPT	16,79	83	23	46	0,387																																																																																																																																																																																																																												
35	2812 3314 00	1 1/4 NPT	17,3	92,8	26	50	0,487																																																																																																																																																																																																																												
42	2812 4414 00	1 1/2 NPT	17,3	92,5	30	55	0,488																																																																																																																																																																																																																												
54	2812 5514 00	2 NPT	17,7	111,1	35	70	0,902																																																																																																																																																																																																																												
D1	Part Number	Th	Lt (MIN)	L	S	N	lb																																																																																																																																																																																																																												
1/2	2812 1114 00	1/2 NPT	0,534	2,803	0,787	1,063	0,298																																																																																																																																																																																																																												
1	2812 2214 00	1 NPT	0,661	3,268	0,906	1,811	0,853																																																																																																																																																																																																																												
1 1/4	2812 3314 00	1 1/4 NPT	0,681	3,654	1,024	1,969	1,030																																																																																																																																																																																																																												
1 1/2	2812 4414 00	1 1/2 NPT	0,681	3,642	1,181	2,165	1,076																																																																																																																																																																																																																												
2	2812 5514 00	2 NPT	0,70	4,37	1,38	2,76	1,989																																																																																																																																																																																																																												
<p>17</p> <p>NIPPLE SOCKET ALU THREADED MALE ISO-7R</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt</th> <th>L</th> <th>S</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1017 00</td><td>ISO 7-R 1/2</td><td>14</td><td>41</td><td>20</td><td>24</td><td>0,054</td></tr> <tr><td>15</td><td>2812 1117 00</td><td>ISO 7-R 3/4</td><td>15</td><td>43</td><td>20</td><td>30</td><td>0,101</td></tr> <tr><td>28</td><td>2812 2117 00</td><td>ISO 7-R 3/4</td><td>15</td><td>47</td><td>23</td><td>38</td><td>0,114</td></tr> <tr><td>28</td><td>2812 2217 00</td><td>ISO 7-R 1</td><td>17</td><td>48</td><td>23</td><td>38</td><td>0,123</td></tr> <tr><td>35</td><td>2812 3217 00</td><td>ISO 7-R 1</td><td>17</td><td>52</td><td>26</td><td>45</td><td>0,173</td></tr> <tr><td>35</td><td>2812 3317 00</td><td>ISO 7-R 1 1/4</td><td>21</td><td>55</td><td>26</td><td>46</td><td>0,18</td></tr> <tr><td>42</td><td>2812 4317 00</td><td>ISO 7-R 1 1/4</td><td>21</td><td>59</td><td>30</td><td>55</td><td>0,24</td></tr> <tr><td>42</td><td>2812 4417 00</td><td>ISO 7-R 1 1/2</td><td>21</td><td>59</td><td>30</td><td>54</td><td>0,236</td></tr> <tr><td>54</td><td>2812 5417 00</td><td>ISO 7-R 1 1/2</td><td>21</td><td>65</td><td>35</td><td>65</td><td>0,396</td></tr> <tr><td>54</td><td>2812 5517 00</td><td>ISO 7-R 2</td><td>26</td><td>71</td><td>35</td><td>65</td><td>0,362</td></tr> <tr><td>76</td><td>2812 6517 00</td><td>ISO 7-R 2 1/2</td><td>28</td><td>123,5</td><td>55</td><td>80</td><td>0,78</td></tr> <tr><td>89</td><td>2812 7717 00</td><td>ISO 7-R 3</td><td>35</td><td>141</td><td>60</td><td>95</td><td>1,135</td></tr> <tr><td>108</td><td>2812 8817 00</td><td>ISO 7-R 4</td><td>37</td><td>163</td><td>75</td><td>115</td><td>1,728</td></tr> </tbody> </table>	D1	Part Number	Th	Lt	L	S	N	kg	15	2812 1017 00	ISO 7-R 1/2	14	41	20	24	0,054	15	2812 1117 00	ISO 7-R 3/4	15	43	20	30	0,101	28	2812 2117 00	ISO 7-R 3/4	15	47	23	38	0,114	28	2812 2217 00	ISO 7-R 1	17	48	23	38	0,123	35	2812 3217 00	ISO 7-R 1	17	52	26	45	0,173	35	2812 3317 00	ISO 7-R 1 1/4	21	55	26	46	0,18	42	2812 4317 00	ISO 7-R 1 1/4	21	59	30	55	0,24	42	2812 4417 00	ISO 7-R 1 1/2	21	59	30	54	0,236	54	2812 5417 00	ISO 7-R 1 1/2	21	65	35	65	0,396	54	2812 5517 00	ISO 7-R 2	26	71	35	65	0,362	76	2812 6517 00	ISO 7-R 2 1/2	28	123,5	55	80	0,78	89	2812 7717 00	ISO 7-R 3	35	141	60	95	1,135	108	2812 8817 00	ISO 7-R 4	37	163	75	115	1,728	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt</th> <th>L</th> <th>S</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1017 00</td><td>ISO7-R 1/2</td><td>0,551</td><td>1,614</td><td>0,787</td><td>0,945</td><td>0,119</td></tr> <tr><td>1/2</td><td>2812 1117 00</td><td>ISO7-R 3/4</td><td>0,591</td><td>1,693</td><td>0,787</td><td>1,181</td><td>0,223</td></tr> <tr><td>1</td><td>2812 2117 00</td><td>ISO7-R 3/4</td><td>0,591</td><td>1,850</td><td>0,906</td><td>1,496</td><td>0,251</td></tr> <tr><td>1</td><td>2812 2217 00</td><td>ISO7-R 1</td><td>0,669</td><td>1,890</td><td>0,906</td><td>1,496</td><td>0,271</td></tr> <tr><td>1 1/4</td><td>2812 3217 00</td><td>ISO7-R 1</td><td>0,669</td><td>2,047</td><td>1,024</td><td>1,772</td><td>0,381</td></tr> <tr><td>1 1/4</td><td>2812 3317 00</td><td>ISO7-R 1 1/4</td><td>0,827</td><td>2,155</td><td>1,024</td><td>1,811</td><td>0,397</td></tr> <tr><td>1 1/2</td><td>2812 4317 00</td><td>ISO7-R 1 1/4</td><td>0,827</td><td>2,323</td><td>1,181</td><td>2,165</td><td>0,529</td></tr> <tr><td>1 1/2</td><td>2812 4417 00</td><td>ISO7-R 1 1/2</td><td>0,827</td><td>2,323</td><td>1,181</td><td>2,126</td><td>0,520</td></tr> <tr><td>2</td><td>2812 5417 00</td><td>ISO7-R 1 1/2</td><td>0,827</td><td>2,559</td><td>1,378</td><td>2,559</td><td>0,785</td></tr> <tr><td>2</td><td>2812 5517 00</td><td>ISO7-R 2</td><td>1,024</td><td>2,795</td><td>1,378</td><td>2,559</td><td>0,798</td></tr> <tr><td>2 3/4</td><td>2812 6517 00</td><td>ISO7-R 2 1/2</td><td>1,102</td><td>4,862</td><td>2,165</td><td>3,150</td><td>1,720</td></tr> <tr><td>3 1/2</td><td>2812 7717 00</td><td>ISO7-R 3</td><td>1,378</td><td>5,551</td><td>2,362</td><td>3,740</td><td>2,502</td></tr> <tr><td>4</td><td>2812 8817 00</td><td>ISO7-R 4</td><td>1,457</td><td>6,417</td><td>2,953</td><td>4,528</td><td>3,810</td></tr> </tbody> </table>	D1	Part Number	Th	Lt	L	S	N	lb	1/2	2812 1017 00	ISO7-R 1/2	0,551	1,614	0,787	0,945	0,119	1/2	2812 1117 00	ISO7-R 3/4	0,591	1,693	0,787	1,181	0,223	1	2812 2117 00	ISO7-R 3/4	0,591	1,850	0,906	1,496	0,251	1	2812 2217 00	ISO7-R 1	0,669	1,890	0,906	1,496	0,271	1 1/4	2812 3217 00	ISO7-R 1	0,669	2,047	1,024	1,772	0,381	1 1/4	2812 3317 00	ISO7-R 1 1/4	0,827	2,155	1,024	1,811	0,397	1 1/2	2812 4317 00	ISO7-R 1 1/4	0,827	2,323	1,181	2,165	0,529	1 1/2	2812 4417 00	ISO7-R 1 1/2	0,827	2,323	1,181	2,126	0,520	2	2812 5417 00	ISO7-R 1 1/2	0,827	2,559	1,378	2,559	0,785	2	2812 5517 00	ISO7-R 2	1,024	2,795	1,378	2,559	0,798	2 3/4	2812 6517 00	ISO7-R 2 1/2	1,102	4,862	2,165	3,150	1,720	3 1/2	2812 7717 00	ISO7-R 3	1,378	5,551	2,362	3,740	2,502	4	2812 8817 00	ISO7-R 4	1,457	6,417	2,953	4,528	3,810
D1	Part Number	Th	Lt	L	S	N	kg																																																																																																																																																																																																																												
15	2812 1017 00	ISO 7-R 1/2	14	41	20	24	0,054																																																																																																																																																																																																																												
15	2812 1117 00	ISO 7-R 3/4	15	43	20	30	0,101																																																																																																																																																																																																																												
28	2812 2117 00	ISO 7-R 3/4	15	47	23	38	0,114																																																																																																																																																																																																																												
28	2812 2217 00	ISO 7-R 1	17	48	23	38	0,123																																																																																																																																																																																																																												
35	2812 3217 00	ISO 7-R 1	17	52	26	45	0,173																																																																																																																																																																																																																												
35	2812 3317 00	ISO 7-R 1 1/4	21	55	26	46	0,18																																																																																																																																																																																																																												
42	2812 4317 00	ISO 7-R 1 1/4	21	59	30	55	0,24																																																																																																																																																																																																																												
42	2812 4417 00	ISO 7-R 1 1/2	21	59	30	54	0,236																																																																																																																																																																																																																												
54	2812 5417 00	ISO 7-R 1 1/2	21	65	35	65	0,396																																																																																																																																																																																																																												
54	2812 5517 00	ISO 7-R 2	26	71	35	65	0,362																																																																																																																																																																																																																												
76	2812 6517 00	ISO 7-R 2 1/2	28	123,5	55	80	0,78																																																																																																																																																																																																																												
89	2812 7717 00	ISO 7-R 3	35	141	60	95	1,135																																																																																																																																																																																																																												
108	2812 8817 00	ISO 7-R 4	37	163	75	115	1,728																																																																																																																																																																																																																												
D1	Part Number	Th	Lt	L	S	N	lb																																																																																																																																																																																																																												
1/2	2812 1017 00	ISO7-R 1/2	0,551	1,614	0,787	0,945	0,119																																																																																																																																																																																																																												
1/2	2812 1117 00	ISO7-R 3/4	0,591	1,693	0,787	1,181	0,223																																																																																																																																																																																																																												
1	2812 2117 00	ISO7-R 3/4	0,591	1,850	0,906	1,496	0,251																																																																																																																																																																																																																												
1	2812 2217 00	ISO7-R 1	0,669	1,890	0,906	1,496	0,271																																																																																																																																																																																																																												
1 1/4	2812 3217 00	ISO7-R 1	0,669	2,047	1,024	1,772	0,381																																																																																																																																																																																																																												
1 1/4	2812 3317 00	ISO7-R 1 1/4	0,827	2,155	1,024	1,811	0,397																																																																																																																																																																																																																												
1 1/2	2812 4317 00	ISO7-R 1 1/4	0,827	2,323	1,181	2,165	0,529																																																																																																																																																																																																																												
1 1/2	2812 4417 00	ISO7-R 1 1/2	0,827	2,323	1,181	2,126	0,520																																																																																																																																																																																																																												
2	2812 5417 00	ISO7-R 1 1/2	0,827	2,559	1,378	2,559	0,785																																																																																																																																																																																																																												
2	2812 5517 00	ISO7-R 2	1,024	2,795	1,378	2,559	0,798																																																																																																																																																																																																																												
2 3/4	2812 6517 00	ISO7-R 2 1/2	1,102	4,862	2,165	3,150	1,720																																																																																																																																																																																																																												
3 1/2	2812 7717 00	ISO7-R 3	1,378	5,551	2,362	3,740	2,502																																																																																																																																																																																																																												
4	2812 8817 00	ISO7-R 4	1,457	6,417	2,953	4,528	3,810																																																																																																																																																																																																																												

<p>18</p> <p>NIPPLE SOCKET ALU THREADED MALE NPT</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt (MIN)</th> <th>L</th> <th>S</th> <th>N</th> <th>Kg.</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1018 00</td><td>1/2 NPT</td><td>13,56</td><td>41</td><td>20</td><td>24</td><td>0,054</td></tr> <tr><td>15</td><td>2812 1118 00</td><td>3/4 NPT</td><td>13,86</td><td>43</td><td>20</td><td>30</td><td>0,101</td></tr> <tr><td>28</td><td>2812 2118 00</td><td>3/4 NPT</td><td>13,86</td><td>47</td><td>23</td><td>38</td><td>0,114</td></tr> <tr><td>28</td><td>2812 2218 00</td><td>1 NPT</td><td>17,34</td><td>48</td><td>23</td><td>38</td><td>0,123</td></tr> <tr><td>35</td><td>2812 3218 00</td><td>1 NPT</td><td>17,34</td><td>52</td><td>26</td><td>45</td><td>0,173</td></tr> <tr><td>35</td><td>2812 3318 00</td><td>1 1/4 NPT</td><td>17,95</td><td>55</td><td>26</td><td>46</td><td>0,18</td></tr> <tr><td>42</td><td>2812 4318 00</td><td>1 1/4 NPT</td><td>17,95</td><td>59</td><td>30</td><td>55</td><td>0,24</td></tr> <tr><td>42</td><td>2812 4418 00</td><td>1 1/2 NPT</td><td>18,38</td><td>59</td><td>30</td><td>54</td><td>0,236</td></tr> <tr><td>54</td><td>2812 5418 00</td><td>1 1/2 NPT</td><td>18,38</td><td>65</td><td>35</td><td>65</td><td>0,356</td></tr> <tr><td>54</td><td>2812 5518 00</td><td>2 NPT</td><td>19,22</td><td>71</td><td>35</td><td>65</td><td>0,362</td></tr> <tr><td>76</td><td>2812 6618 00</td><td>2 1/2 NPT</td><td>28,89</td><td>123,5</td><td>55</td><td>80</td><td>0,78</td></tr> <tr><td>89</td><td>2812 7718 00</td><td>3 NPT</td><td>30,48</td><td>141</td><td>60</td><td>95</td><td>1,135</td></tr> <tr><td>108</td><td>2812 8818 00</td><td>4 NPT</td><td>33,02</td><td>163</td><td>75</td><td>115</td><td>1,728</td></tr> </tbody> </table>	D1	Part Number	Th	Lt (MIN)	L	S	N	Kg.	15	2812 1018 00	1/2 NPT	13,56	41	20	24	0,054	15	2812 1118 00	3/4 NPT	13,86	43	20	30	0,101	28	2812 2118 00	3/4 NPT	13,86	47	23	38	0,114	28	2812 2218 00	1 NPT	17,34	48	23	38	0,123	35	2812 3218 00	1 NPT	17,34	52	26	45	0,173	35	2812 3318 00	1 1/4 NPT	17,95	55	26	46	0,18	42	2812 4318 00	1 1/4 NPT	17,95	59	30	55	0,24	42	2812 4418 00	1 1/2 NPT	18,38	59	30	54	0,236	54	2812 5418 00	1 1/2 NPT	18,38	65	35	65	0,356	54	2812 5518 00	2 NPT	19,22	71	35	65	0,362	76	2812 6618 00	2 1/2 NPT	28,89	123,5	55	80	0,78	89	2812 7718 00	3 NPT	30,48	141	60	95	1,135	108	2812 8818 00	4 NPT	33,02	163	75	115	1,728	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt (MIN)</th> <th>L</th> <th>S</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1018 00</td><td>1/2 NPT</td><td>0,534</td><td>1,614</td><td>0,787</td><td>0,945</td><td>0,119</td></tr> <tr><td>1/2</td><td>2812 1118 00</td><td>3/4 NPT</td><td>0,546</td><td>1,693</td><td>0,787</td><td>1,181</td><td>0,223</td></tr> <tr><td>1</td><td>2812 2118 00</td><td>3/4 NPT</td><td>0,546</td><td>1,850</td><td>0,906</td><td>1,496</td><td>0,251</td></tr> <tr><td>1</td><td>2812 2218 00</td><td>1 NPT</td><td>0,663</td><td>1,898</td><td>0,906</td><td>1,496</td><td>0,271</td></tr> <tr><td>1 1/4</td><td>2812 3218 00</td><td>1 NPT</td><td>0,683</td><td>2,047</td><td>1,024</td><td>1,772</td><td>0,381</td></tr> <tr><td>1 1/4</td><td>2812 3318 00</td><td>1 1/4 NPT</td><td>0,707</td><td>2,165</td><td>1,024</td><td>1,811</td><td>0,397</td></tr> <tr><td>1 1/2</td><td>2812 4318 00</td><td>1 1/4 NPT</td><td>0,707</td><td>2,323</td><td>1,181</td><td>2,165</td><td>0,529</td></tr> <tr><td>1 1/2</td><td>2812 4418 00</td><td>1 1/2 NPT</td><td>0,724</td><td>2,323</td><td>1,181</td><td>2,126</td><td>0,520</td></tr> <tr><td>2</td><td>2812 5418 00</td><td>1 1/2 NPT</td><td>0,724</td><td>2,559</td><td>1,378</td><td>2,559</td><td>0,785</td></tr> <tr><td>2</td><td>2812 5518 00</td><td>2 NPT</td><td>0,757</td><td>2,795</td><td>1,378</td><td>2,559</td><td>0,798</td></tr> <tr><td>2 3/4</td><td>2812 6618 00</td><td>2 1/2 NPT</td><td>1,137</td><td>4,862</td><td>2,165</td><td>3,150</td><td>1,720</td></tr> <tr><td>3 1/2</td><td>2812 7718 00</td><td>3 NPT</td><td>1,200</td><td>5,551</td><td>2,362</td><td>3,740</td><td>2,502</td></tr> <tr><td>4</td><td>2812 8818 00</td><td>4 NPT</td><td>1,309</td><td>6,417</td><td>2,953</td><td>4,528</td><td>3,810</td></tr> </tbody> </table>	D1	Part Number	Th	Lt (MIN)	L	S	N	lb	1/2	2812 1018 00	1/2 NPT	0,534	1,614	0,787	0,945	0,119	1/2	2812 1118 00	3/4 NPT	0,546	1,693	0,787	1,181	0,223	1	2812 2118 00	3/4 NPT	0,546	1,850	0,906	1,496	0,251	1	2812 2218 00	1 NPT	0,663	1,898	0,906	1,496	0,271	1 1/4	2812 3218 00	1 NPT	0,683	2,047	1,024	1,772	0,381	1 1/4	2812 3318 00	1 1/4 NPT	0,707	2,165	1,024	1,811	0,397	1 1/2	2812 4318 00	1 1/4 NPT	0,707	2,323	1,181	2,165	0,529	1 1/2	2812 4418 00	1 1/2 NPT	0,724	2,323	1,181	2,126	0,520	2	2812 5418 00	1 1/2 NPT	0,724	2,559	1,378	2,559	0,785	2	2812 5518 00	2 NPT	0,757	2,795	1,378	2,559	0,798	2 3/4	2812 6618 00	2 1/2 NPT	1,137	4,862	2,165	3,150	1,720	3 1/2	2812 7718 00	3 NPT	1,200	5,551	2,362	3,740	2,502	4	2812 8818 00	4 NPT	1,309	6,417	2,953	4,528	3,810
D1	Part Number	Th	Lt (MIN)	L	S	N	Kg.																																																																																																																																																																																																																												
15	2812 1018 00	1/2 NPT	13,56	41	20	24	0,054																																																																																																																																																																																																																												
15	2812 1118 00	3/4 NPT	13,86	43	20	30	0,101																																																																																																																																																																																																																												
28	2812 2118 00	3/4 NPT	13,86	47	23	38	0,114																																																																																																																																																																																																																												
28	2812 2218 00	1 NPT	17,34	48	23	38	0,123																																																																																																																																																																																																																												
35	2812 3218 00	1 NPT	17,34	52	26	45	0,173																																																																																																																																																																																																																												
35	2812 3318 00	1 1/4 NPT	17,95	55	26	46	0,18																																																																																																																																																																																																																												
42	2812 4318 00	1 1/4 NPT	17,95	59	30	55	0,24																																																																																																																																																																																																																												
42	2812 4418 00	1 1/2 NPT	18,38	59	30	54	0,236																																																																																																																																																																																																																												
54	2812 5418 00	1 1/2 NPT	18,38	65	35	65	0,356																																																																																																																																																																																																																												
54	2812 5518 00	2 NPT	19,22	71	35	65	0,362																																																																																																																																																																																																																												
76	2812 6618 00	2 1/2 NPT	28,89	123,5	55	80	0,78																																																																																																																																																																																																																												
89	2812 7718 00	3 NPT	30,48	141	60	95	1,135																																																																																																																																																																																																																												
108	2812 8818 00	4 NPT	33,02	163	75	115	1,728																																																																																																																																																																																																																												
D1	Part Number	Th	Lt (MIN)	L	S	N	lb																																																																																																																																																																																																																												
1/2	2812 1018 00	1/2 NPT	0,534	1,614	0,787	0,945	0,119																																																																																																																																																																																																																												
1/2	2812 1118 00	3/4 NPT	0,546	1,693	0,787	1,181	0,223																																																																																																																																																																																																																												
1	2812 2118 00	3/4 NPT	0,546	1,850	0,906	1,496	0,251																																																																																																																																																																																																																												
1	2812 2218 00	1 NPT	0,663	1,898	0,906	1,496	0,271																																																																																																																																																																																																																												
1 1/4	2812 3218 00	1 NPT	0,683	2,047	1,024	1,772	0,381																																																																																																																																																																																																																												
1 1/4	2812 3318 00	1 1/4 NPT	0,707	2,165	1,024	1,811	0,397																																																																																																																																																																																																																												
1 1/2	2812 4318 00	1 1/4 NPT	0,707	2,323	1,181	2,165	0,529																																																																																																																																																																																																																												
1 1/2	2812 4418 00	1 1/2 NPT	0,724	2,323	1,181	2,126	0,520																																																																																																																																																																																																																												
2	2812 5418 00	1 1/2 NPT	0,724	2,559	1,378	2,559	0,785																																																																																																																																																																																																																												
2	2812 5518 00	2 NPT	0,757	2,795	1,378	2,559	0,798																																																																																																																																																																																																																												
2 3/4	2812 6618 00	2 1/2 NPT	1,137	4,862	2,165	3,150	1,720																																																																																																																																																																																																																												
3 1/2	2812 7718 00	3 NPT	1,200	5,551	2,362	3,740	2,502																																																																																																																																																																																																																												
4	2812 8818 00	4 NPT	1,309	6,417	2,953	4,528	3,810																																																																																																																																																																																																																												
<p>19</p> <p>NIPPLE SOCKET FEMALE ISO228</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt</th> <th>L</th> <th>S</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1119 00</td><td>Rp 3/4</td><td>14</td><td>39</td><td>20</td><td>32</td><td>0,075</td></tr> <tr><td>28</td><td>2812 2219 00</td><td>Rp 1</td><td>17</td><td>45</td><td>23</td><td>41</td><td>0,158</td></tr> <tr><td>35</td><td>2812 3319 00</td><td>Rp 1 1/4</td><td>20</td><td>52</td><td>26</td><td>46</td><td>0,17</td></tr> <tr><td>42</td><td>2812 4419 00</td><td>Rp 1 1/2</td><td>20</td><td>56</td><td>30</td><td>55</td><td>0,243</td></tr> <tr><td>54</td><td>2812 5519 00</td><td>Rp 2</td><td>24</td><td>65</td><td>35</td><td>65</td><td>0,314</td></tr> </tbody> </table>	D1	Part Number	Th	Lt	L	S	N	kg	15	2812 1119 00	Rp 3/4	14	39	20	32	0,075	28	2812 2219 00	Rp 1	17	45	23	41	0,158	35	2812 3319 00	Rp 1 1/4	20	52	26	46	0,17	42	2812 4419 00	Rp 1 1/2	20	56	30	55	0,243	54	2812 5519 00	Rp 2	24	65	35	65	0,314	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt</th> <th>L</th> <th>S</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1119 00</td><td>Rp 3/4</td><td>0,551</td><td>1,535</td><td>0,787</td><td>1,260</td><td>0,165</td></tr> <tr><td>1</td><td>2812 2219 00</td><td>Rp 1</td><td>0,669</td><td>1,772</td><td>0,906</td><td>1,614</td><td>0,348</td></tr> <tr><td>1 1/4</td><td>2812 3319 00</td><td>Rp 1 1/4</td><td>0,787</td><td>2,047</td><td>1,024</td><td>1,811</td><td>0,375</td></tr> <tr><td>1 1/2</td><td>2812 4419 00</td><td>Rp 1 1/2</td><td>0,787</td><td>2,205</td><td>1,181</td><td>2,165</td><td>0,536</td></tr> <tr><td>2</td><td>2812 5519 00</td><td>Rp 2</td><td>0,945</td><td>2,559</td><td>1,378</td><td>2,559</td><td>0,692</td></tr> </tbody> </table>	D1	Part Number	Th	Lt	L	S	N	lb	1/2	2812 1119 00	Rp 3/4	0,551	1,535	0,787	1,260	0,165	1	2812 2219 00	Rp 1	0,669	1,772	0,906	1,614	0,348	1 1/4	2812 3319 00	Rp 1 1/4	0,787	2,047	1,024	1,811	0,375	1 1/2	2812 4419 00	Rp 1 1/2	0,787	2,205	1,181	2,165	0,536	2	2812 5519 00	Rp 2	0,945	2,559	1,378	2,559	0,692																																																																																																																																
D1	Part Number	Th	Lt	L	S	N	kg																																																																																																																																																																																																																												
15	2812 1119 00	Rp 3/4	14	39	20	32	0,075																																																																																																																																																																																																																												
28	2812 2219 00	Rp 1	17	45	23	41	0,158																																																																																																																																																																																																																												
35	2812 3319 00	Rp 1 1/4	20	52	26	46	0,17																																																																																																																																																																																																																												
42	2812 4419 00	Rp 1 1/2	20	56	30	55	0,243																																																																																																																																																																																																																												
54	2812 5519 00	Rp 2	24	65	35	65	0,314																																																																																																																																																																																																																												
D1	Part Number	Th	Lt	L	S	N	lb																																																																																																																																																																																																																												
1/2	2812 1119 00	Rp 3/4	0,551	1,535	0,787	1,260	0,165																																																																																																																																																																																																																												
1	2812 2219 00	Rp 1	0,669	1,772	0,906	1,614	0,348																																																																																																																																																																																																																												
1 1/4	2812 3319 00	Rp 1 1/4	0,787	2,047	1,024	1,811	0,375																																																																																																																																																																																																																												
1 1/2	2812 4419 00	Rp 1 1/2	0,787	2,205	1,181	2,165	0,536																																																																																																																																																																																																																												
2	2812 5519 00	Rp 2	0,945	2,559	1,378	2,559	0,692																																																																																																																																																																																																																												
<p>20</p> <p>NIPPLE SOCKET FEMALE NPT</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt (MIN)</th> <th>L</th> <th>S</th> <th>N</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1120 00</td><td>3/4 NPT</td><td>14,05</td><td>39</td><td>20</td><td>32</td><td>0,075</td></tr> <tr><td>28</td><td>2812 2220 00</td><td>1 NPT</td><td>16,79</td><td>45</td><td>23</td><td>41</td><td>0,158</td></tr> <tr><td>35</td><td>2812 3320 00</td><td>1 1/4 NPT</td><td>17,3</td><td>52</td><td>26</td><td>46</td><td>0,17</td></tr> <tr><td>42</td><td>2812 4420 00</td><td>1 1/2 NPT</td><td>17,3</td><td>56</td><td>30</td><td>55</td><td>0,243</td></tr> <tr><td>54</td><td>2812 5520 00</td><td>2 NPT</td><td>17,7</td><td>65</td><td>35</td><td>65</td><td>0,314</td></tr> </tbody> </table>	D1	Part Number	Th	Lt (MIN)	L	S	N	kg	15	2812 1120 00	3/4 NPT	14,05	39	20	32	0,075	28	2812 2220 00	1 NPT	16,79	45	23	41	0,158	35	2812 3320 00	1 1/4 NPT	17,3	52	26	46	0,17	42	2812 4420 00	1 1/2 NPT	17,3	56	30	55	0,243	54	2812 5520 00	2 NPT	17,7	65	35	65	0,314	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>Th</th> <th>Lt (MIN)</th> <th>L</th> <th>S</th> <th>N</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1120 00</td><td>3/4 NPT</td><td>0,553</td><td>1,535</td><td>0,787</td><td>1,260</td><td>0,165</td></tr> <tr><td>1</td><td>2812 2220 00</td><td>1 NPT</td><td>0,661</td><td>1,772</td><td>0,906</td><td>1,614</td><td>0,348</td></tr> <tr><td>1 1/4</td><td>2812 3320 00</td><td>1 1/4 NPT</td><td>0,681</td><td>2,047</td><td>1,024</td><td>1,811</td><td>0,375</td></tr> <tr><td>1 1/2</td><td>2812 4420 00</td><td>1 1/2 NPT</td><td>0,681</td><td>2,205</td><td>1,181</td><td>2,165</td><td>0,536</td></tr> <tr><td>2</td><td>2812 5520 00</td><td>2 NPT</td><td>0,697</td><td>2,559</td><td>1,378</td><td>2,559</td><td>0,692</td></tr> </tbody> </table>	D1	Part Number	Th	Lt (MIN)	L	S	N	lb	1/2	2812 1120 00	3/4 NPT	0,553	1,535	0,787	1,260	0,165	1	2812 2220 00	1 NPT	0,661	1,772	0,906	1,614	0,348	1 1/4	2812 3320 00	1 1/4 NPT	0,681	2,047	1,024	1,811	0,375	1 1/2	2812 4420 00	1 1/2 NPT	0,681	2,205	1,181	2,165	0,536	2	2812 5520 00	2 NPT	0,697	2,559	1,378	2,559	0,692																																																																																																																																
D1	Part Number	Th	Lt (MIN)	L	S	N	kg																																																																																																																																																																																																																												
15	2812 1120 00	3/4 NPT	14,05	39	20	32	0,075																																																																																																																																																																																																																												
28	2812 2220 00	1 NPT	16,79	45	23	41	0,158																																																																																																																																																																																																																												
35	2812 3320 00	1 1/4 NPT	17,3	52	26	46	0,17																																																																																																																																																																																																																												
42	2812 4420 00	1 1/2 NPT	17,3	56	30	55	0,243																																																																																																																																																																																																																												
54	2812 5520 00	2 NPT	17,7	65	35	65	0,314																																																																																																																																																																																																																												
D1	Part Number	Th	Lt (MIN)	L	S	N	lb																																																																																																																																																																																																																												
1/2	2812 1120 00	3/4 NPT	0,553	1,535	0,787	1,260	0,165																																																																																																																																																																																																																												
1	2812 2220 00	1 NPT	0,661	1,772	0,906	1,614	0,348																																																																																																																																																																																																																												
1 1/4	2812 3320 00	1 1/4 NPT	0,681	2,047	1,024	1,811	0,375																																																																																																																																																																																																																												
1 1/2	2812 4420 00	1 1/2 NPT	0,681	2,205	1,181	2,165	0,536																																																																																																																																																																																																																												
2	2812 5520 00	2 NPT	0,697	2,559	1,378	2,559	0,692																																																																																																																																																																																																																												
<p>21</p> <p>REDUCTION SOCKET</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>D2</th> <th>L</th> <th>S2</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>28</td><td>2812 2121 00</td><td>15</td><td>76,7</td><td>20</td><td>0,05</td></tr> <tr><td>35</td><td>2812 3221 00</td><td>28</td><td>71</td><td>23</td><td>0,098</td></tr> <tr><td>42</td><td>2812 4321 00</td><td>35</td><td>80,5</td><td>26</td><td>0,138</td></tr> <tr><td>54</td><td>2812 5421 00</td><td>42</td><td>97,5</td><td>30</td><td>0,21</td></tr> <tr><td>76</td><td>2812 6521 00</td><td>54</td><td>147,9</td><td>35</td><td>0,48</td></tr> <tr><td>89</td><td>2812 7621 00</td><td>76</td><td>184,5</td><td>55</td><td>0,81</td></tr> <tr><td>108</td><td>2812 8721 00</td><td>89</td><td>209,6</td><td>60</td><td>1,103</td></tr> </tbody> </table>	D1	Part Number	D2	L	S2	kg	28	2812 2121 00	15	76,7	20	0,05	35	2812 3221 00	28	71	23	0,098	42	2812 4321 00	35	80,5	26	0,138	54	2812 5421 00	42	97,5	30	0,21	76	2812 6521 00	54	147,9	35	0,48	89	2812 7621 00	76	184,5	55	0,81	108	2812 8721 00	89	209,6	60	1,103	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>D2</th> <th>L</th> <th>S2</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1</td><td>2812 2121 00</td><td>0,591</td><td>3,020</td><td>0,787</td><td>0,110</td></tr> <tr><td>1 1/4</td><td>2812 3221 00</td><td>1,102</td><td>2,795</td><td>0,906</td><td>0,216</td></tr> <tr><td>1 1/2</td><td>2812 4321 00</td><td>1,378</td><td>3,169</td><td>1,024</td><td>0,304</td></tr> <tr><td>2</td><td>2812 5421 00</td><td>1,654</td><td>3,839</td><td>1,181</td><td>0,463</td></tr> <tr><td>2 3/4</td><td>2812 6521 00</td><td>2,126</td><td>5,823</td><td>1,378</td><td>1,058</td></tr> <tr><td>3 1/2</td><td>2812 7621 00</td><td>2,992</td><td>7,264</td><td>2,165</td><td>1,786</td></tr> <tr><td>4</td><td>2812 8721 00</td><td>3,504</td><td>8,252</td><td>2,362</td><td>2,432</td></tr> </tbody> </table>	D1	Part Number	D2	L	S2	lb	1	2812 2121 00	0,591	3,020	0,787	0,110	1 1/4	2812 3221 00	1,102	2,795	0,906	0,216	1 1/2	2812 4321 00	1,378	3,169	1,024	0,304	2	2812 5421 00	1,654	3,839	1,181	0,463	2 3/4	2812 6521 00	2,126	5,823	1,378	1,058	3 1/2	2812 7621 00	2,992	7,264	2,165	1,786	4	2812 8721 00	3,504	8,252	2,362	2,432																																																																																																																																
D1	Part Number	D2	L	S2	kg																																																																																																																																																																																																																														
28	2812 2121 00	15	76,7	20	0,05																																																																																																																																																																																																																														
35	2812 3221 00	28	71	23	0,098																																																																																																																																																																																																																														
42	2812 4321 00	35	80,5	26	0,138																																																																																																																																																																																																																														
54	2812 5421 00	42	97,5	30	0,21																																																																																																																																																																																																																														
76	2812 6521 00	54	147,9	35	0,48																																																																																																																																																																																																																														
89	2812 7621 00	76	184,5	55	0,81																																																																																																																																																																																																																														
108	2812 8721 00	89	209,6	60	1,103																																																																																																																																																																																																																														
D1	Part Number	D2	L	S2	lb																																																																																																																																																																																																																														
1	2812 2121 00	0,591	3,020	0,787	0,110																																																																																																																																																																																																																														
1 1/4	2812 3221 00	1,102	2,795	0,906	0,216																																																																																																																																																																																																																														
1 1/2	2812 4321 00	1,378	3,169	1,024	0,304																																																																																																																																																																																																																														
2	2812 5421 00	1,654	3,839	1,181	0,463																																																																																																																																																																																																																														
2 3/4	2812 6521 00	2,126	5,823	1,378	1,058																																																																																																																																																																																																																														
3 1/2	2812 7621 00	2,992	7,264	2,165	1,786																																																																																																																																																																																																																														
4	2812 8721 00	3,504	8,252	2,362	2,432																																																																																																																																																																																																																														
<p>22</p> <p>PIPE CLIPS</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>C</th> <th>B</th> <th>Th</th> <th>kg/piece</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1922 20</td><td>45</td><td>14,2</td><td>16</td><td>M8x1</td><td>0,026</td></tr> <tr><td>28</td><td>2812 2922 20</td><td>63</td><td>23,3</td><td>20</td><td>M8x1,25</td><td>0,069</td></tr> <tr><td>35</td><td>2812 3922 20</td><td>70</td><td>26,8</td><td>20</td><td>M8x1,25</td><td>0,08</td></tr> <tr><td>42</td><td>2812 4922 20</td><td>77</td><td>30,3</td><td>20</td><td>M8x1,25</td><td>0,057</td></tr> <tr><td>54</td><td>2812 5922 20</td><td>89</td><td>35,3</td><td>16</td><td>M8x1,25</td><td>0,1</td></tr> <tr><td>76</td><td>2812 6922 20</td><td>111</td><td>48,9</td><td>30</td><td>M10x1,5</td><td>0,18</td></tr> <tr><td>89</td><td>2812 7922 20</td><td>124</td><td>55,4</td><td>30</td><td>M10x1,5</td><td>0,221</td></tr> <tr><td>108</td><td>2812 8922 20</td><td>143</td><td>64,4</td><td>20</td><td>M10x1,5</td><td>0,148</td></tr> </tbody> </table>	D1	Part Number	L	C	B	Th	kg/piece	15	2812 1922 20	45	14,2	16	M8x1	0,026	28	2812 2922 20	63	23,3	20	M8x1,25	0,069	35	2812 3922 20	70	26,8	20	M8x1,25	0,08	42	2812 4922 20	77	30,3	20	M8x1,25	0,057	54	2812 5922 20	89	35,3	16	M8x1,25	0,1	76	2812 6922 20	111	48,9	30	M10x1,5	0,18	89	2812 7922 20	124	55,4	30	M10x1,5	0,221	108	2812 8922 20	143	64,4	20	M10x1,5	0,148	<p>Only for metric</p>																																																																																																																																																																	
D1	Part Number	L	C	B	Th	kg/piece																																																																																																																																																																																																																													
15	2812 1922 20	45	14,2	16	M8x1	0,026																																																																																																																																																																																																																													
28	2812 2922 20	63	23,3	20	M8x1,25	0,069																																																																																																																																																																																																																													
35	2812 3922 20	70	26,8	20	M8x1,25	0,08																																																																																																																																																																																																																													
42	2812 4922 20	77	30,3	20	M8x1,25	0,057																																																																																																																																																																																																																													
54	2812 5922 20	89	35,3	16	M8x1,25	0,1																																																																																																																																																																																																																													
76	2812 6922 20	111	48,9	30	M10x1,5	0,18																																																																																																																																																																																																																													
89	2812 7922 20	124	55,4	30	M10x1,5	0,221																																																																																																																																																																																																																													
108	2812 8922 20	143	64,4	20	M10x1,5	0,148																																																																																																																																																																																																																													
<p>40</p> <p>SINGLE WALLMOUNT ISO228</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>Th</th> <th>Lt</th> <th>H</th> <th>A</th> <th>B</th> <th>C</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1040 00</td><td>20</td><td>Rp 1/2</td><td>13,5</td><td>62,5</td><td>43</td><td>34</td><td>13</td><td>0,098</td></tr> </tbody> </table>	D1	Part Number	S	Th	Lt	H	A	B	C	kg	15	2812 1040 00	20	Rp 1/2	13,5	62,5	43	34	13	0,098	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>Th</th> <th>Lt</th> <th>H</th> <th>A</th> <th>B</th> <th>C</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1040 00</td><td>0,787</td><td>Rp 1/2</td><td>0,531</td><td>2,461</td><td>1,693</td><td>1,339</td><td>0,512</td><td>0,216</td></tr> </tbody> </table>	D1	Part Number	S	Th	Lt	H	A	B	C	lb	15	2812 1040 00	0,787	Rp 1/2	0,531	2,461	1,693	1,339	0,512	0,216																																																																																																																																																																																								
D1	Part Number	S	Th	Lt	H	A	B	C	kg																																																																																																																																																																																																																										
15	2812 1040 00	20	Rp 1/2	13,5	62,5	43	34	13	0,098																																																																																																																																																																																																																										
D1	Part Number	S	Th	Lt	H	A	B	C	lb																																																																																																																																																																																																																										
15	2812 1040 00	0,787	Rp 1/2	0,531	2,461	1,693	1,339	0,512	0,216																																																																																																																																																																																																																										
<p>41</p> <p>SINGLE WALLMOUNT NPT</p>		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>Th</th> <th>Lt</th> <th>H</th> <th>A</th> <th>B</th> <th>C</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1041 00</td><td>20</td><td>1/2 NPT</td><td>13,5</td><td>62,5</td><td>43</td><td>34</td><td>13</td><td>0,098</td></tr> </tbody> </table>	D1	Part Number	S	Th	Lt	H	A	B	C	kg	15	2812 1041 00	20	1/2 NPT	13,5	62,5	43	34	13	0,098	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>Th</th> <th>Lt</th> <th>H</th> <th>A</th> <th>B</th> <th>C</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1041 00</td><td>0,787</td><td>1/2 NPT</td><td>0,531</td><td>2,461</td><td>1,693</td><td>1,339</td><td>0,512</td><td>0,216</td></tr> </tbody> </table>	D1	Part Number	S	Th	Lt	H	A	B	C	lb	15	2812 1041 00	0,787	1/2 NPT	0,531	2,461	1,693	1,339	0,512	0,216																																																																																																																																																																																								
D1	Part Number	S	Th	Lt	H	A	B	C	kg																																																																																																																																																																																																																										
15	2812 1041 00	20	1/2 NPT	13,5	62,5	43	34	13	0,098																																																																																																																																																																																																																										
D1	Part Number	S	Th	Lt	H	A	B	C	lb																																																																																																																																																																																																																										
15	2812 1041 00	0,787	1/2 NPT	0,531	2,461	1,693	1,339	0,512	0,216																																																																																																																																																																																																																										

51	VALVES		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>L</th> <th>L1</th> <th>H</th> <th>B</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1051 00</td><td>20</td><td>122,4</td><td>145</td><td>92,4</td><td>82,4</td><td>0,69</td></tr> <tr><td>28</td><td>2812 2051 00</td><td>23</td><td>145</td><td>175</td><td>119,1</td><td>99</td><td>1,46</td></tr> <tr><td>35</td><td>2812 3051 00</td><td>26</td><td>173,1</td><td>175</td><td>130,5</td><td>121,1</td><td>2,26</td></tr> <tr><td>42</td><td>2812 4051 00</td><td>30</td><td>197,5</td><td>195</td><td>143,8</td><td>137,5</td><td>3,08</td></tr> <tr><td>54</td><td>2812 5051 00</td><td>35</td><td>221,5</td><td>195</td><td>158,6</td><td>151,5</td><td>4,52</td></tr> <tr><td>76</td><td>2812 6051 00</td><td>55</td><td>308,5</td><td>295</td><td>206</td><td>198,5</td><td>9,1</td></tr> <tr><td>89</td><td>2812 7051 00</td><td>60</td><td>362,5</td><td>295</td><td>231,6</td><td>242,5</td><td>13,3</td></tr> <tr><td>108</td><td>2812 8051 00</td><td>75</td><td>422,5</td><td>204</td><td>312,8</td><td>272,5</td><td>24,7</td></tr> </tbody> </table>	D1	Part Number	S	L	L1	H	B	kg	15	2812 1051 00	20	122,4	145	92,4	82,4	0,69	28	2812 2051 00	23	145	175	119,1	99	1,46	35	2812 3051 00	26	173,1	175	130,5	121,1	2,26	42	2812 4051 00	30	197,5	195	143,8	137,5	3,08	54	2812 5051 00	35	221,5	195	158,6	151,5	4,52	76	2812 6051 00	55	308,5	295	206	198,5	9,1	89	2812 7051 00	60	362,5	295	231,6	242,5	13,3	108	2812 8051 00	75	422,5	204	312,8	272,5	24,7	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>L</th> <th>L1</th> <th>H</th> <th>B</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1051 00</td><td>0,787</td><td>4,819</td><td>5,709</td><td>3,638</td><td>3,244</td><td>1,521</td></tr> <tr><td>1</td><td>2812 2051 00</td><td>0,906</td><td>5,709</td><td>6,890</td><td>4,689</td><td>3,898</td><td>3,219</td></tr> <tr><td>1 1/4</td><td>2812 3051 00</td><td>1,024</td><td>6,815</td><td>6,890</td><td>5,138</td><td>4,768</td><td>4,982</td></tr> <tr><td>1 1/2</td><td>2812 4051 00</td><td>1,181</td><td>7,776</td><td>7,677</td><td>5,661</td><td>5,413</td><td>6,790</td></tr> <tr><td>2</td><td>2812 5051 00</td><td>1,378</td><td>8,720</td><td>7,677</td><td>6,165</td><td>5,965</td><td>9,965</td></tr> <tr><td>2 3/4</td><td>2812 6051 00</td><td>2,165</td><td>12,146</td><td>11,614</td><td>8,110</td><td>7,815</td><td>20,062</td></tr> <tr><td>3 1/2</td><td>2812 7051 00</td><td>2,362</td><td>14,272</td><td>11,614</td><td>9,118</td><td>9,547</td><td>29,321</td></tr> <tr><td>4</td><td>2812 8051 00</td><td>2,953</td><td>16,634</td><td>8,031</td><td>12,315</td><td>10,728</td><td>54,454</td></tr> </tbody> </table>	D1	Part Number	S	L	L1	H	B	lb	1/2	2812 1051 00	0,787	4,819	5,709	3,638	3,244	1,521	1	2812 2051 00	0,906	5,709	6,890	4,689	3,898	3,219	1 1/4	2812 3051 00	1,024	6,815	6,890	5,138	4,768	4,982	1 1/2	2812 4051 00	1,181	7,776	7,677	5,661	5,413	6,790	2	2812 5051 00	1,378	8,720	7,677	6,165	5,965	9,965	2 3/4	2812 6051 00	2,165	12,146	11,614	8,110	7,815	20,062	3 1/2	2812 7051 00	2,362	14,272	11,614	9,118	9,547	29,321	4	2812 8051 00	2,953	16,634	8,031	12,315	10,728	54,454																																																																																														
D1	Part Number	S	L	L1	H	B	kg																																																																																																																																																																																																																																											
15	2812 1051 00	20	122,4	145	92,4	82,4	0,69																																																																																																																																																																																																																																											
28	2812 2051 00	23	145	175	119,1	99	1,46																																																																																																																																																																																																																																											
35	2812 3051 00	26	173,1	175	130,5	121,1	2,26																																																																																																																																																																																																																																											
42	2812 4051 00	30	197,5	195	143,8	137,5	3,08																																																																																																																																																																																																																																											
54	2812 5051 00	35	221,5	195	158,6	151,5	4,52																																																																																																																																																																																																																																											
76	2812 6051 00	55	308,5	295	206	198,5	9,1																																																																																																																																																																																																																																											
89	2812 7051 00	60	362,5	295	231,6	242,5	13,3																																																																																																																																																																																																																																											
108	2812 8051 00	75	422,5	204	312,8	272,5	24,7																																																																																																																																																																																																																																											
D1	Part Number	S	L	L1	H	B	lb																																																																																																																																																																																																																																											
1/2	2812 1051 00	0,787	4,819	5,709	3,638	3,244	1,521																																																																																																																																																																																																																																											
1	2812 2051 00	0,906	5,709	6,890	4,689	3,898	3,219																																																																																																																																																																																																																																											
1 1/4	2812 3051 00	1,024	6,815	6,890	5,138	4,768	4,982																																																																																																																																																																																																																																											
1 1/2	2812 4051 00	1,181	7,776	7,677	5,661	5,413	6,790																																																																																																																																																																																																																																											
2	2812 5051 00	1,378	8,720	7,677	6,165	5,965	9,965																																																																																																																																																																																																																																											
2 3/4	2812 6051 00	2,165	12,146	11,614	8,110	7,815	20,062																																																																																																																																																																																																																																											
3 1/2	2812 7051 00	2,362	14,272	11,614	9,118	9,547	29,321																																																																																																																																																																																																																																											
4	2812 8051 00	2,953	16,634	8,031	12,315	10,728	54,454																																																																																																																																																																																																																																											
54	FLANGES		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>D2</th> <th>W</th> <th>TYPE</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1054 00</td><td>20</td><td>65</td><td>95</td><td>DIN</td><td>0,66</td></tr> <tr><td>28</td><td>2812 2054 00</td><td>23</td><td>85</td><td>115</td><td>DIN</td><td>1,14</td></tr> <tr><td>35</td><td>2812 3054 00</td><td>26</td><td>100</td><td>140</td><td>DIN</td><td>1,64</td></tr> <tr><td>42</td><td>2812 4054 00</td><td>30</td><td>110</td><td>150</td><td>DIN</td><td>1,8</td></tr> <tr><td>54</td><td>2812 5054 00</td><td>35</td><td>125</td><td>165</td><td>DIN</td><td>2,45</td></tr> <tr><td>76</td><td>2812 6054 00</td><td>55</td><td>145</td><td>185</td><td>DIN</td><td>3,175</td></tr> <tr><td>89</td><td>2812 7054 00</td><td>60</td><td>160</td><td>200</td><td>DIN</td><td>3,93</td></tr> <tr><td>108</td><td>2812 8054 00</td><td>75</td><td>180</td><td>220</td><td>DIN</td><td>4,7</td></tr> <tr><td>15</td><td>2812 1154 00</td><td>20</td><td>60,3</td><td>89</td><td>ANSI</td><td>0,515</td></tr> <tr><td>28</td><td>2812 2154 00</td><td>23</td><td>79,3</td><td>108</td><td>ANSI</td><td>1,06</td></tr> <tr><td>35</td><td>2812 3154 00</td><td>26</td><td>88,9</td><td>117,5</td><td>ANSI</td><td>1,42</td></tr> <tr><td>42</td><td>2812 4154 00</td><td>30</td><td>98,4</td><td>127,1</td><td>ANSI</td><td>1,81</td></tr> <tr><td>54</td><td>2812 5154 00</td><td>35</td><td>120,6</td><td>152,5</td><td>ANSI</td><td>2,715</td></tr> <tr><td>76</td><td>2812 6154 00</td><td>55</td><td>139,7</td><td>177,9</td><td>ANSI</td><td>4,19</td></tr> <tr><td>89</td><td>2812 7154 00</td><td>60</td><td>152,4</td><td>190,6</td><td>ANSI</td><td>5,34</td></tr> <tr><td>108</td><td>2812 8154 00</td><td>75</td><td>190,5</td><td>228,7</td><td>ANSI</td><td>7,525</td></tr> </tbody> </table>	D1	Part Number	S	D2	W	TYPE	kg	15	2812 1054 00	20	65	95	DIN	0,66	28	2812 2054 00	23	85	115	DIN	1,14	35	2812 3054 00	26	100	140	DIN	1,64	42	2812 4054 00	30	110	150	DIN	1,8	54	2812 5054 00	35	125	165	DIN	2,45	76	2812 6054 00	55	145	185	DIN	3,175	89	2812 7054 00	60	160	200	DIN	3,93	108	2812 8054 00	75	180	220	DIN	4,7	15	2812 1154 00	20	60,3	89	ANSI	0,515	28	2812 2154 00	23	79,3	108	ANSI	1,06	35	2812 3154 00	26	88,9	117,5	ANSI	1,42	42	2812 4154 00	30	98,4	127,1	ANSI	1,81	54	2812 5154 00	35	120,6	152,5	ANSI	2,715	76	2812 6154 00	55	139,7	177,9	ANSI	4,19	89	2812 7154 00	60	152,4	190,6	ANSI	5,34	108	2812 8154 00	75	190,5	228,7	ANSI	7,525	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>D2</th> <th>W</th> <th>TYPE</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1054 00</td><td>0,787</td><td>2,559</td><td>3,740</td><td>DIN</td><td>1,455</td></tr> <tr><td>1</td><td>2812 2054 00</td><td>0,906</td><td>3,346</td><td>4,528</td><td>DIN</td><td>2,513</td></tr> <tr><td>1 1/4</td><td>2812 3054 00</td><td>1,024</td><td>3,937</td><td>5,512</td><td>DIN</td><td>3,616</td></tr> <tr><td>1 1/2</td><td>2812 4054 00</td><td>1,181</td><td>4,331</td><td>5,906</td><td>DIN</td><td>3,968</td></tr> <tr><td>2</td><td>2812 5054 00</td><td>1,378</td><td>4,921</td><td>6,496</td><td>DIN</td><td>5,401</td></tr> <tr><td>2 3/4</td><td>2812 6054 00</td><td>2,165</td><td>5,709</td><td>7,283</td><td>DIN</td><td>7,000</td></tr> <tr><td>3 1/2</td><td>2812 7054 00</td><td>2,362</td><td>6,299</td><td>7,874</td><td>DIN</td><td>8,664</td></tr> <tr><td>4</td><td>2812 8054 00</td><td>2,953</td><td>7,087</td><td>8,661</td><td>DIN</td><td>10,362</td></tr> <tr><td>1/2</td><td>2812 1154 00</td><td>0,787</td><td>2,374</td><td>3,504</td><td>ANSI</td><td>1,135</td></tr> <tr><td>1</td><td>2812 2154 00</td><td>0,906</td><td>3,122</td><td>4,252</td><td>ANSI</td><td>2,337</td></tr> <tr><td>1 1/4</td><td>2812 3154 00</td><td>1,024</td><td>3,500</td><td>4,626</td><td>ANSI</td><td>3,131</td></tr> <tr><td>1 1/2</td><td>2812 4154 00</td><td>1,181</td><td>3,874</td><td>5,004</td><td>ANSI</td><td>3,990</td></tr> <tr><td>2</td><td>2812 5154 00</td><td>1,378</td><td>4,748</td><td>6,004</td><td>ANSI</td><td>5,986</td></tr> <tr><td>2 3/4</td><td>2812 6154 00</td><td>2,165</td><td>5,500</td><td>7,004</td><td>ANSI</td><td>9,237</td></tr> <tr><td>3 1/2</td><td>2812 7154 00</td><td>2,362</td><td>6,000</td><td>7,504</td><td>ANSI</td><td>11,773</td></tr> <tr><td>4</td><td>2812 8154 00</td><td>2,953</td><td>7,500</td><td>9,004</td><td>ANSI</td><td>16,590</td></tr> </tbody> </table> <p>(*)Refer Fig. B for dimensions.</p>	D1	Part Number	S	D2	W	TYPE	lb	1/2	2812 1054 00	0,787	2,559	3,740	DIN	1,455	1	2812 2054 00	0,906	3,346	4,528	DIN	2,513	1 1/4	2812 3054 00	1,024	3,937	5,512	DIN	3,616	1 1/2	2812 4054 00	1,181	4,331	5,906	DIN	3,968	2	2812 5054 00	1,378	4,921	6,496	DIN	5,401	2 3/4	2812 6054 00	2,165	5,709	7,283	DIN	7,000	3 1/2	2812 7054 00	2,362	6,299	7,874	DIN	8,664	4	2812 8054 00	2,953	7,087	8,661	DIN	10,362	1/2	2812 1154 00	0,787	2,374	3,504	ANSI	1,135	1	2812 2154 00	0,906	3,122	4,252	ANSI	2,337	1 1/4	2812 3154 00	1,024	3,500	4,626	ANSI	3,131	1 1/2	2812 4154 00	1,181	3,874	5,004	ANSI	3,990	2	2812 5154 00	1,378	4,748	6,004	ANSI	5,986	2 3/4	2812 6154 00	2,165	5,500	7,004	ANSI	9,237	3 1/2	2812 7154 00	2,362	6,000	7,504	ANSI	11,773	4	2812 8154 00	2,953	7,500	9,004	ANSI	16,590
D1	Part Number	S	D2	W	TYPE	kg																																																																																																																																																																																																																																												
15	2812 1054 00	20	65	95	DIN	0,66																																																																																																																																																																																																																																												
28	2812 2054 00	23	85	115	DIN	1,14																																																																																																																																																																																																																																												
35	2812 3054 00	26	100	140	DIN	1,64																																																																																																																																																																																																																																												
42	2812 4054 00	30	110	150	DIN	1,8																																																																																																																																																																																																																																												
54	2812 5054 00	35	125	165	DIN	2,45																																																																																																																																																																																																																																												
76	2812 6054 00	55	145	185	DIN	3,175																																																																																																																																																																																																																																												
89	2812 7054 00	60	160	200	DIN	3,93																																																																																																																																																																																																																																												
108	2812 8054 00	75	180	220	DIN	4,7																																																																																																																																																																																																																																												
15	2812 1154 00	20	60,3	89	ANSI	0,515																																																																																																																																																																																																																																												
28	2812 2154 00	23	79,3	108	ANSI	1,06																																																																																																																																																																																																																																												
35	2812 3154 00	26	88,9	117,5	ANSI	1,42																																																																																																																																																																																																																																												
42	2812 4154 00	30	98,4	127,1	ANSI	1,81																																																																																																																																																																																																																																												
54	2812 5154 00	35	120,6	152,5	ANSI	2,715																																																																																																																																																																																																																																												
76	2812 6154 00	55	139,7	177,9	ANSI	4,19																																																																																																																																																																																																																																												
89	2812 7154 00	60	152,4	190,6	ANSI	5,34																																																																																																																																																																																																																																												
108	2812 8154 00	75	190,5	228,7	ANSI	7,525																																																																																																																																																																																																																																												
D1	Part Number	S	D2	W	TYPE	lb																																																																																																																																																																																																																																												
1/2	2812 1054 00	0,787	2,559	3,740	DIN	1,455																																																																																																																																																																																																																																												
1	2812 2054 00	0,906	3,346	4,528	DIN	2,513																																																																																																																																																																																																																																												
1 1/4	2812 3054 00	1,024	3,937	5,512	DIN	3,616																																																																																																																																																																																																																																												
1 1/2	2812 4054 00	1,181	4,331	5,906	DIN	3,968																																																																																																																																																																																																																																												
2	2812 5054 00	1,378	4,921	6,496	DIN	5,401																																																																																																																																																																																																																																												
2 3/4	2812 6054 00	2,165	5,709	7,283	DIN	7,000																																																																																																																																																																																																																																												
3 1/2	2812 7054 00	2,362	6,299	7,874	DIN	8,664																																																																																																																																																																																																																																												
4	2812 8054 00	2,953	7,087	8,661	DIN	10,362																																																																																																																																																																																																																																												
1/2	2812 1154 00	0,787	2,374	3,504	ANSI	1,135																																																																																																																																																																																																																																												
1	2812 2154 00	0,906	3,122	4,252	ANSI	2,337																																																																																																																																																																																																																																												
1 1/4	2812 3154 00	1,024	3,500	4,626	ANSI	3,131																																																																																																																																																																																																																																												
1 1/2	2812 4154 00	1,181	3,874	5,004	ANSI	3,990																																																																																																																																																																																																																																												
2	2812 5154 00	1,378	4,748	6,004	ANSI	5,986																																																																																																																																																																																																																																												
2 3/4	2812 6154 00	2,165	5,500	7,004	ANSI	9,237																																																																																																																																																																																																																																												
3 1/2	2812 7154 00	2,362	6,000	7,504	ANSI	11,773																																																																																																																																																																																																																																												
4	2812 8154 00	2,953	7,500	9,004	ANSI	16,590																																																																																																																																																																																																																																												
55	COMPENSATOR		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>L</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1055 00</td><td>20</td><td>139</td><td>0,08</td></tr> <tr><td>28</td><td>2812 2055 00</td><td>23</td><td>150</td><td>0,155</td></tr> <tr><td>35</td><td>2812 3055 00</td><td>26</td><td>177</td><td>0,251</td></tr> <tr><td>42</td><td>2812 4055 00</td><td>30</td><td>202</td><td>0,44</td></tr> <tr><td>54</td><td>2812 5055 00</td><td>35</td><td>221</td><td>0,55</td></tr> </tbody> </table>	D1	Part Number	S	L	kg	15	2812 1055 00	20	139	0,08	28	2812 2055 00	23	150	0,155	35	2812 3055 00	26	177	0,251	42	2812 4055 00	30	202	0,44	54	2812 5055 00	35	221	0,55	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>S</th> <th>L</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1055 00</td><td>0,787</td><td>5,472</td><td>0,176</td></tr> <tr><td>1</td><td>2812 2055 00</td><td>0,906</td><td>5,906</td><td>0,342</td></tr> <tr><td>1 1/4</td><td>2812 3055 00</td><td>1,024</td><td>6,969</td><td>0,553</td></tr> <tr><td>1 1/2</td><td>2812 4055 00</td><td>1,181</td><td>7,953</td><td>0,970</td></tr> <tr><td>2</td><td>2812 5055 00</td><td>1,378</td><td>8,701</td><td>1,213</td></tr> </tbody> </table>	D1	Part Number	S	L	lb	1/2	2812 1055 00	0,787	5,472	0,176	1	2812 2055 00	0,906	5,906	0,342	1 1/4	2812 3055 00	1,024	6,969	0,553	1 1/2	2812 4055 00	1,181	7,953	0,970	2	2812 5055 00	1,378	8,701	1,213																																																																																																																																																																																		
D1	Part Number	S	L	kg																																																																																																																																																																																																																																														
15	2812 1055 00	20	139	0,08																																																																																																																																																																																																																																														
28	2812 2055 00	23	150	0,155																																																																																																																																																																																																																																														
35	2812 3055 00	26	177	0,251																																																																																																																																																																																																																																														
42	2812 4055 00	30	202	0,44																																																																																																																																																																																																																																														
54	2812 5055 00	35	221	0,55																																																																																																																																																																																																																																														
D1	Part Number	S	L	lb																																																																																																																																																																																																																																														
1/2	2812 1055 00	0,787	5,472	0,176																																																																																																																																																																																																																																														
1	2812 2055 00	0,906	5,906	0,342																																																																																																																																																																																																																																														
1 1/4	2812 3055 00	1,024	6,969	0,553																																																																																																																																																																																																																																														
1 1/2	2812 4055 00	1,181	7,953	0,970																																																																																																																																																																																																																																														
2	2812 5055 00	1,378	8,701	1,213																																																																																																																																																																																																																																														
64	SWAN NECK		<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>L1</th> <th>H</th> <th>kg</th> </tr> </thead> <tbody> <tr><td>15</td><td>2812 1067 00</td><td>282,5</td><td>210</td><td>85</td><td>0,144</td></tr> <tr><td>28</td><td>2812 2067 00</td><td>377</td><td>272</td><td>130</td><td>0,42</td></tr> </tbody> </table>	D1	Part Number	L	L1	H	kg	15	2812 1067 00	282,5	210	85	0,144	28	2812 2067 00	377	272	130	0,42	<table border="1"> <thead> <tr> <th>D1</th> <th>Part Number</th> <th>L</th> <th>L1</th> <th>H</th> <th>lb</th> </tr> </thead> <tbody> <tr><td>1/2</td><td>2812 1067 00</td><td>11,122</td><td>8,268</td><td>3,346</td><td>0,317</td></tr> <tr><td>1</td><td>2812 2067 00</td><td>14,843</td><td>10,709</td><td>5,118</td><td>0,926</td></tr> </tbody> </table>	D1	Part Number	L	L1	H	lb	1/2	2812 1067 00	11,122	8,268	3,346	0,317	1	2812 2067 00	14,843	10,709	5,118	0,926																																																																																																																																																																																																										
D1	Part Number	L	L1	H	kg																																																																																																																																																																																																																																													
15	2812 1067 00	282,5	210	85	0,144																																																																																																																																																																																																																																													
28	2812 2067 00	377	272	130	0,42																																																																																																																																																																																																																																													
D1	Part Number	L	L1	H	lb																																																																																																																																																																																																																																													
1/2	2812 1067 00	11,122	8,268	3,346	0,317																																																																																																																																																																																																																																													
1	2812 2067 00	14,843	10,709	5,118	0,926																																																																																																																																																																																																																																													